

1 LOCATION OF WATER WELL		Fraction <b>BBC</b>	Section Number <b>4</b>	Township Number <b>T 26 S</b>	Range Number <b>R 26 E/W</b>		
County: <b>Ford</b>		<b>SW 1/4 NW 1/4 NW 1/4</b>					
Distance and direction from nearest town or city? <b>3 mi north of Howell, Kansas</b>			Street address of well if located within city?				
2 WATER WELL OWNER: <b>Stanley Feed Yards Inc.,</b>			Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box #: <b>RFD 2</b>			Application Number: <b>32,927</b>				
City, State, ZIP Code: <b>Dodge City, Kansas 67801</b>							
3 DEPTH OF COMPLETED WELL: <b>263</b> ft. Bore Hole Diameter: <b>28</b> in. to <b>263</b> ft. and in. to ft.							
Well Water to be used as:							
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well		
2 Irrigation		4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)		
7 Lawn and garden only		10 Observation well					
Well's static water level: <b>111</b> ft. below land surface measured on <b>7</b> month <b>11</b> day <b>79</b> year							
Pump Test Data: Well water was <b>240</b> ft. after <b>5</b> hours pumping <b>450</b> gpm							
Est. Yield <b>450</b> gpm: Well water was ft. after hours pumping gpm							
4 TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: Glued Clamped		
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded <b>X</b>		
			7 Fiberglass		Threaded		
Blank casing dia <b>16</b> in. to <b>113</b> ft. Dia in. to ft. Dia in. to ft.							
Casing height above land surface: <b>12</b> in., weight <b>31.66</b> lbs./ft. Wall thickness or gauge No. <b>188</b>							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement		
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)		
					12 None used (open hole)		
Screen or Perforation Openings Are:							
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)		
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes			
			7 Torch cut	10 Other (specify)			
Screen-Perforation Dia <b>16</b> in. to <b>263</b> ft. Dia in. to ft. Dia in. to ft.							
Screen-Perforated Intervals: From <b>113</b> ft. to <b>263</b> ft. From ft. to ft. From ft. to ft.							
Gravel Pack Intervals: From <b>0</b> ft. to <b>263</b> ft. From ft. to ft. From ft. to ft.							
5 GROUT MATERIAL:							
1 Neat cement		2 Cement grout	3 Bentonite	4 Other			
Grouted Intervals: From <b>0</b> ft. to <b>10</b> ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well		
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well		
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)		
				13 Watertight sewer lines	<b>Stock well in use</b>		
Direction from well: <b>north</b> How many feet: <b>200'</b> Water Well Disinfected? Yes No <b>X</b>							
Was a chemical/bacteriological sample submitted to Department? Yes No <b>X</b> If yes, date sample was submitted month day year: Pump Installed? Yes <b>X</b> No							
If Yes: Pump Manufacturer's name: <b>Simmons</b> Model No. <b>SR6</b> HP <b>75</b> Volts							
Depth of Pump Intake <b>245</b> ft. Pumps Capacity rated at <b>400</b> gal./min.							
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other							
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on <b>9-15-79</b> month day year							
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>190</b>							
This Water Well Record was completed on <b>9</b> month <b>18</b> day <b>79</b> year under the business name of <b>Hce-Hi International</b> by (signature) <b>Carl G. Intel</b>							
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	3	Surface			
		3	70	Brown clay and coleche			
		70	99	Fine to med. sand			
		99	105	Sandy brown clay			
		105	152	Fine to med. sand with clay streaks			
		152	172	Clay with 15% sand			
		172	215	Fine to med. sand with clay streaks			
		215	227	Clean sand and gravel			
		227	247	Gray and yellow clay			
		247	263	Sandstone with 30% clay			
ELEVATION:		263	285	Blue shale			
Depth(s) Groundwater Encountered 1. <b>111</b> ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)							

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.