

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Ford	SW 1/4 SW 1/4 SW 1/4	9	T 26 S	R 26 E/W

Distance and direction from nearest town or city street address of well if located within city?

From Howell, Ks. - 1 mile North

2 WATER WELL OWNER: Lanny Gerber	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: Route #2	Application Number:
City, State, ZIP Code: Dodge City, Kansas 67801	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 255 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 116 ft. below land surface measured on mo/day/yr Feb. 4, 1986 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 70 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 255 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes.....No. XXX; If yes, mo/day/yr sample was sub- mitted Water Well Disinfected? Yes XXX No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued XX Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 255 ft., Dia. in. to ft., Dia. in. to ft.			Threaded
Casing height above land surface 12 in., weight 200 psi lbs./ft. Wall thickness or gauge No. SDR 21			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 230 ft. to 250 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 15 ft. to 255 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 5 ft. to 15 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination: none				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	15	Top soil & clay	240	250	Coarse sand
15	30	Clay	250	255	Clay
30	60	Clay & sand rock in layers			
60	75	Clay & sand rock in layers			
75	90	Clay & sand rock in layers & fine sand (3 ft.)			
90	105	Clay & fine sand (5 ft.) and clay - fine to medium sand			
105	120	Fine to medium sand & rock layers			
120	135	Clay (5 ft.) & fine to medium sand			
135	150	Fine to medium sand			
150	165	Fine to medium sand (3 ft.) & clay			
165	180	Clay			
180	195	Clay, Fine sand (3 ft.) & clay			
195	210	Clay & fine sand			
210	225	Fine to medium sand			
225	240	Medium to coarse sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Feb. 5, 1986 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) Feb. 5, 1986 under the business name of Joe's Well Service, Inc. Cimarron, Ks. by (signature) Lanny C. Nick
--

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.