1 TAGAMTAN AR DIMOR COTT		Form www-5 KSA 8Za-1212	l ml. : n :	lo r t
1 LOCATION OF WATER WELL: COUNTY: FORD	Praction RE 1/4 SB 1	/4 Section Number	Lossurb namber	; glange Number 26 F
Distance and direction from ne ON THE OLD AIR BASE ROAD - 3 M	MILES NORTH	ldress of well if located w	•	
2 WATER WELL OWNER: STA RR∮, St. Address, Box ♯: BOU City, State, ZIP code : DOD	ANT DU DEDBUARS			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETE)N: O	t. 3. 0 ft.
/	WELL'S STATIC WATER Pump test	LEVEL Oft. below landata: Well water was	nd surface measured on m Oft.after Ohour	o/day/yr s pumping 0 gpm
1 NR NE	Estimated Yield	O gpm: Well water was	0 ft. after 0 hour	s pumping 0 gpm
М 1 e	Bore Hole Diameter	in. to 0	ft., and in. to	0 ft.
Sk Sk	Was a chemical/bact	eriological sample submitt ample was submitted	ted to department? No ; Water we	ll disinfected? Yes
5 TYPE OF BLANK CASING USED: STE Blank casing diameter 6 Casing height above land surfa TYPE OF SCREEN OR PERFORATION SCREEN OR PERFORATION OPENINGS	MATERIAL:	OINTS: in. to Oft., Dig Olbs/ft. Wall thicknes	a in to Oft. ss or gauge No.	
SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS:	From 0 ft. to From 0 ft. to From 0 ft. to From 0 ft. to	Oft., From Oft. to Oft., From Oft. to Oft., From Oft. to Oft., From Oft. to	0 ft. 0 ft. 0 ft. 0 ft.	·····
6 GROUTEMATERIAL BENTONITE Grout Intervals: From 0 ft. to 0 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: NONE Direction from well? How many feet? 0				
FROM TO	LITHOLOGIC LOG	24 1 112 1	CEMENT CEMENT BENTONITE GROUT FILL SAND BENTONITE GROUT FILL SAND FILL SAND O O O O O O O O O O O O O O O O O O O	INTERVALS
7 CONTRACTOR'S OR LANDOWNER'S Cr completed on (mo/day/year) 11/ Water Well Contractor's Licens under the business name of JOK	/04/93 and this record is tra se No. 179 This Wate	ie to the best of my knowle er Well Record was complete	edge and belief. Kansas	93 week