

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: FORD		SW 1/4 NW 1/4 SW 1/4		16		T 26 S		R 26 E/W	
Distance and direction from nearest town or city street address of well if located within city? Located in town of Howell, Kansas									
2 WATER WELL OWNER:		Dodge City Coop - HOWELL ELEVATOR							
RR#, St. Address, Box # :		c/o Duane Hornbaker, RFD #2				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Dodge City, Kansas 67801				Application Number: ---			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 40 ft. ELEVATION: Slope							
<div style="text-align: center;"> </div>		Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 37 ft. below land surface measured on mo/day/yr July 15, 1986							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield ? gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 9 7/8 in. to 40 ft. and in. to ft.							
		WELL WATER TO BE USED AS:							
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only XXX Observation well							
		Was a chemical/bacteriological sample submitted to Department? Yes. No. XX ; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes XX No							
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued XX Clamped							
1 Steel		5 Wrought iron							
3 RMP (SR)		6 Asbestos-Cement							
XX PVC		7 Fiberglass							
4 ABS		9 Other (specify below)							
Blank casing diameter 5 in. to 20 ft. Dia		Welded							
Casing height above land surface 15 in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265		Threaded							
TYPE OF SCREEN OR PERFORATION MATERIAL:		XX PVC							
1 Steel		10 Asbestos-cement							
3 Stainless steel		11 Other (specify)							
5 Fiberglass		12 None used (open hole)							
2 Brass		8 RMP (SR)							
4 Galvanized steel		9 ABS							
6 Concrete tile		11 None (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped							
1 Continuous slot		XX Saw cut							
3 Mill slot		9 Drilled holes							
2 Louvered shutter		10 Other (specify)							
4 Key punched		7 Torch cut							
SCREEN-PERFORATED INTERVALS:		From 20 ft. to 40 ft. From ft. to ft.							
GRAVEL PACK INTERVALS:		From 20 ft. to 40 ft. From ft. to ft.							
6 GROUT MATERIAL:		XX Neat cement							
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.		2 Cement grout							
What is the nearest source of possible contamination:		3 Bentonite							
1 Septic tank		4 Other							
4 Lateral lines		10 Livestock pens							
7 Pit privy		14 Abandoned water well							
8 Sewage lagoon		XX 1 Fuel storage							
12 Fertilizer storage		15 Oil well/Gas well							
13 Insecticide storage		16 Other (specify below)							
Direction from well? South		How many feet? 10							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG			
0	3	Topsoil							
3	9	Clay							
9	24	Med. to Lar. Sand							
24	40	Clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) July 15, 1986 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) July 21, 1986 under the business name of FRIESEN WINDMILL & SUPPLY INC. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									

4900000098-50