

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: FORD		SE 1/4 SE 1/4 NE 1/4	17	T 26 S	R 26 E/W
Distance and direction from nearest town or city street address of well if located within city? 1/4 Mile North of Howell, Kansas					
2 WATER WELL OWNER:		Mr. Richard Gier			
RR#, St. Address, Box # :		R.F.D. #2			
City, State, ZIP Code :		Dodge City, Kansas 67801			
		Board of Agriculture, Division of Water Resources			
		Application Number: ---			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 200 ft. ELEVATION: Hill			
		Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL: 5.1 ft. below land surface measured on mo/day/yr Feb. 24, 1986			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 30 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter: 9 7/8 in. to 200 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well XX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes XX No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued XX Clamped			
1 Steel		5 Wrought iron			
XX2 PVC		8 Concrete tile			
3 RMP (SR)		9 Other (specify below)			
4 ABS		Welded			
6 Asbestos-Cement		Threaded			
7 Fiberglass					
Blank casing diameter 5 in. to 160 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 15 in., weight 2.8 lbs./ft. Wall thickness or gauge No. 265					
TYPE OF SCREEN OR PERFORATION MATERIAL:		XX PVC			
1 Steel		10 Asbestos-cement			
3 Stainless steel		11 Other (specify)			
5 Fiberglass		12 None used (open hole)			
8 RMP (SR)					
9 ABS					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped XXX Saw cut 11 None (open hole)			
1 Continuous slot		6 Wire wrapped 9 Drilled holes			
3 Mill slot		10 Other (specify)			
2 Louvered shutter					
4 Key punched					
SCREEN-PERFORATED INTERVALS: From 160 ft. to 200 ft., From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 14 ft. to 200 ft., From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: XX Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
XX Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? South		How many feet? 150			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Topsoil			
3	27	Clay & Caliche			
27	38	Med. to Lar. Sand & Gravel			
38	62	Clay			
62	81	Fine Sand & Gravel			
81	103	Clay			
103	134	Clay, Fine Sand & Gravel			
134	147	Clay			
147	169	Fine Sand & Gravel			
169	193	Med. to Lar. Sand & Gravel			
193	200	Clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) March 1, 1986 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) March 5, 1986 under the business name of FRIESEN WINDMILL & SUPPLY INC. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

8800000098-90