

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: FORD		SE 1/4 SE 1/4 SE 1/4		20		T 26 S		R 26 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
1 South of Hawell, Kansas									
2 WATER WELL OWNER:		Mr. Steve Hessman							
RR#, St. Address, Box # :		Rt. #2							
City, State, ZIP Code :		Dodge City, Kansas 67801							
		Board of Agriculture, Division of Water Resources							
		Application Number: ---							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 200 ft. ELEVATION: Upland							
<div style="text-align: center;"> </div>		Depth(s) Groundwater Encountered 1. Not available ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 31 ft. below land surface measured on mo/day/yr August 7, 1986							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield 40 gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 9 7/8 in. to 200 ft. and in. to ft.							
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded XX PVC 4 ABS 7 Fiberglass Threaded							
Blank casing diameter 5 in. to 160 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 15 in. weight 2.8 lbs./ft. Wall thickness or gauge No. 265									
TYPE OF SCREEN OR PERFORATION MATERIAL:		XX PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped XX Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS:		From 160 ft. to 200 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS:		From 14 ft. to 200 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: XX Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 14 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:		XX Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 9 Feedyard 13 Insecticide storage							
Direction from well? West		How many feet? 100							
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG				
0	4	Topsoil							
4	25	Med. to Lar. Sand							
25	35	Clay							
35	140	Sandy Clay w/ Sand Streaks							
140	203	Med. to Lar. Sand							
203	208	Black Shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) August 8, 1986 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252 This Water Well Record was completed on (mo/day/yr) August 25, 1986 under the business name of FRIESEN WINDMILL & SUPPLY INC. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									

05-80000000-92