

1 LOCATION OF WATER WELL		Fraction Near center east sidelot		Section Number 22		Township Number T 26 S		Range Number R 26 E	
County: Ford		SE 1/4 NE 1/4 SW 1/4							
Distance and direction from nearest town or city? 1 1/2 mi south east of Howell, Kansas					Street address of well if located within city?				
2 WATER WELL OWNER: Gerald Bailes					Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box # : RFD 2					Application Number: 27981				
City, State, ZIP Code : Dodge City, Kansas									
3 DEPTH OF COMPLETED WELL 191 ft. Bore Hole Diameter 28 in. to ft., and in. to ft.									
Well Water to be used as:									
1 Domestic		3 Feedlot		5 Public water supply		8 Air conditioning		11 Injection well	
2 Irrigation		4 Industrial		6 Oil field water supply		9 Dewatering		12 Other (Specify below)	
				7 Lawn and garden only		10 Observation well			
Well's static water level 10 ft. below land surface measured on 12 month 13 day 79 year									
Pump Test Data									
Est. Yield 3500 gpm: Well water was 50 ft. after 3 hours pumping. 2500 gpm									
Well water was ft. after hours pumping gpm									
4 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		Casing Joints: Glued Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded X	
				7 Fiberglass				Threaded.	
Blank casing dia 16 in. to 91 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 30 in., weight 31.66 lbs./ft. Wall thickness or gauge No. 188									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		11 Other (specify)	
								12 None used (open hole)	
Screen or Perforation Openings Are:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
Screen-Perforation Dia in. to ft., Dia in. to ft., Dia in. to ft.									
Screen-Perforated Intervals:									
From 91 ft. to 191 ft.,		From ft. to ft.,		From ft. to ft.,		From ft. to ft.,		From ft. to ft.,	
Gravel Pack Intervals:									
From 10 ft. to 191 ft.,		From ft. to ft.,		From ft. to ft.,		From ft. to ft.,		From ft. to ft.,	
5 GROUT MATERIAL:									
1 Neat cement		2 Cement grout		3 Bentonite		4 Other			
Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft., From ft. to ft.,									
What is the nearest source of possible contamination:									
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage		14 Abandoned water well	
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage		15 Oil well/Gas well	
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage		16 Other (specify below)	
						13 Watertight sewer lines		river	
Direction from well south How many feet 2500 ?					Water Well Disinfected? Yes X No				
Was a chemical/bacteriological sample submitted to Department? Yes X No									
If yes, date sample was submitted month day year: Pump Installed? Yes X No									
If Yes: Pump Manufacturer's name					Model No. HP Volts				
Depth of Pump Intake ft.					Pumps Capacity rated at gal./min.				
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other									
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 12 month 14 day 79 year									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 190									
This Water Well Record was completed on 12 month 18 day 79 year under the business name of Acc-Hi-International by (signature) Gail B. Tuttle									
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
		FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG					
		0 3 Surface		95 104 Sandy brown clay					
		3 6 Fine sand		104 131 Med. & lg grv-35% cl					
		6 8 Gray clay		131 145 Coarse snd & grv					
		8 27 Half med. to med. sand		145 190 Med. snd & grv					
		27 31 Lite brown clay & f snd		190 192 Yellow cl					
		31 48 Coarse grv., rock & some cl		192 195 Blue shale					
		48 77 Sndy cl & f snd & grv stks							
		77 90 Yellow clay							
		90 95 Fine to 1/2 med. sand							
ELEVATION:		100		Brock 190' TOP 2535					
Depth(s) Groundwater Encountered 1. 10 ft. 2. ft. 3. ft. 4. ft.									

OFFICE USE ONLY

T

R

SEC

1/4 C SW 1/4

1/4