WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

		RI	BDA				Topeka, Kansas 66620					
	County	Fraction	Fraction			Section number		p number	The state of the s	Range number		
1. Location of well:	Ford	NE 1/4 SE	1/4 N	1/4	2	<u>L</u>	т	26	s	R	26	E/ (
2. Distance and dire	ction from nearest town or city				er of well		Stuar	t Curt	is:		<u></u>	
.3 west ar	nd 3/4 north of	Dodge City.	Ks	R.R. or	street;		RFD 2					
Street address of wett	l location if in city:	,		City, st	ate, zip c	ode:			Kans	8.5	6780	ונ
4. Locate with "X" i	in section below:	Sketch map:							28 in			
N	l 						Well	depth 245	5 ft	4.2.	29	
									Rotary			
NW - 3C NE						Hollow rod Jetted Bored X_ Reverse rota						
₩							8. Use: Domestic Public supply Industry XIrrigation Air conditioning Stock					
7 i i							Lawn Oil field water Other					
							9. Casing: Material metal Height: Above or below					
<u> </u>							Threaded Welded _ X Surface in. RMP PVC Weight 31.66 lbs./ft.					
S							RMP	>	5	Weight	31.00	≥ lbs./ft.
5 Tune and solar of					From	То	Dia.	in. to——— in. to	ft. depth	wall Thic	188.	nes or
5. Type and color of	material				rrom	10	10. Scree	n: <u>M</u> anufa	cturer's nan			
Surface						2	W. A	• Broy	m e-flo		6	
	coleche clay				3	26	Slot/gauz	<u>. 178</u>	3	Dia Lenath	160	
	•	lavere			2	40		en	<u>85 </u>	. and _2	45	ft.
Fine sand with hard clay layers Coleche clay and rock						42		10 750	ft.and		. 3/8	<u>₹ do</u> #
Rock and					40 42	45			Size range			
Sandy clay and sandrock						56	89	water leve ft. below	el: / land surfac	re Date	4-2-7	./day/yr. 79
	and gravel wit	h cemented la	yers		56	67			elow land su			
	and sandy clay				67	82	130_	ft. after _	2 hrs	. pumpina	_800) g.p.m.
Fine to me	ed. sand and gr	avel			82	96	1 <u>10</u>	ft.after _	2 hrs	. pumping],500	.g.p.m.
Clay					96		Estimatea	maximum y	/ieid			_ g.p.m.
Fine to me	ed. sand				103			r sample sub X		te	mo.	./day/yr.
Clay					158			head compl				
Fine to me	ed. sand				160	165		ess adapter		Inch	es above	grade
Clay Fine to me	ad good		•		165	169 181		grouted? 🕽				
Clay	eu. Sanu					186	With:	_ Neat cen	nent	Bentonite	<u>x</u> (Concrete
Fine to me	ed send				186				_ ft. to			. 3 . 3
Good med.					202	219			of possible c			∍⊤a
	white sandston	e mixed			219	240	1		n completio		Yes _	N _o
Dark black					240	247	17. Pump:	:	a -	Not i	nstalled	
Gray shale					247	255	Manufact	urer's name	Goul	<u>ds</u> + 10	Λ	
•			13	19				mber 12	230	ft. capac		30
			and the same of th	89	 		Type:	arop pipe		п. сарас	11y 	.g.p
					1 4	.	Su	bmersible		<u>x</u>	_ Turbine	,
	/ Uso a se	sound shoot if mondad)		130 3	1~ '		Je				_ Recipro Other	cating
18 Floretien		econd sheet if needed)			L			entrifugal		41.C1		
18. Elevation:	19. Remarks:						l .		ractor's cer under my j			report
									my knowled			
Topography:							Ace-		ternat		190	
— Hill		17	600	2			Business n	Dodge	e City	. Kan	Lice Sas (57801
Slope Upland	70.	<u> </u>	219				Address –	0.0	27 4	r.T		4-10-
Valley	-10 PO		- 23				Signed	Author	rized repres	entative	— Date	774.