


1 LOCATION OF WATER WELL		Fraction	Section Number		Township Number		Range Number	
County: Ford		NW 1/4 NE 1/4 NW 1/4	26		T 26 S		R 26 EW	
Distance and direction from nearest town or city? Dodge City - 4 1/2 West Street address of well if located within city? 1/2 South - 1/2 West								
2 WATER WELL OWNER: L. Stuart Curtis								
RR#, St. Address, Box #: RFD 2 Board of Agriculture, Division of Water Resources								
City, State, ZIP Code: Dodge City, KS 67801 Application Number:								
3 DEPTH OF COMPLETED WELL: 200 ft. Bore Hole Diameter: 26 in. to 200 ft., and in. to ft.								
Well Water to be used as: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Observation well								
Well's static water level: 9 ft. below land surface measured on June month 2 day 1980 year								
Pump Test Data: Well water was 29 ft. after 2 hours pumping 1650 gpm								
Est. Yield 2150 gpm: Well water was 34 ft. after 3 hours pumping 2150 gpm								
4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X 7 Fiberglass Threaded								
Blank casing dia 16 in. to 200 ft. Dia in. to ft. Dia in. to ft.								
Casing height above land surface: 12 in. weight 36.4 lbs./ft. Wall thickness or gauge No. .219								
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)								
Screen or Perforation Openings Are: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)								
Screen-Perforation Dia 16 in. to 200 ft. Dia in. to ft. Dia in. to ft.								
Screen-Perforated Intervals: XXXX Perf 80-120 ft. XXXX Screen 120-130 ft. XXXX Perf 130-140 ft. XXXX Screen 140-180 ft.								
XXXX Perf 180-200 ft. to ft. From ft. to ft. From ft. to ft.								
Gravel Pack Intervals: From 10 ft. to 200 ft. From ft. to ft. From ft. to ft.								
5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grouted Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.								
What is the nearest source of possible contamination: 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) 13 Watertight sewer lines Center of 1/4 Section N/A								
Direction from well: How many feet? Water Well Disinfected? Yes X No								
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year Pump Installed? Yes X No								
If Yes: Pump Manufacturer's name Used Customers Pump Model No. HP Volts								
Depth of Pump Intake 80 ft. Pumps Capacity rated at gal./min.								
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other								
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on June month 30 day 1980 year								
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208								
This Water Well Record was completed on October month 23 day 1980 year under the business name of Minter Wilson Drilling Co., Inc. by (signature) <i>Minter Wilson</i>								
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG	
								
ELEVATION:								
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)								
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.								

The
Professional

MINTER-WILSON DRILLING CO.

INCORPORATED

Drilling
and
Coring
and
Testing

CHART 107

P.O. Box A

GARDEN CITY, KANSAS 66503

April 17, 1980

L. Stuart Curtis
Ford County

Location: NW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ 26-26-26 - from Howell 2 $\frac{1}{2}$ miles east 1000
feet south about 1300 feet west and 1000 feet south
west 30 feet south of pivot

Static Water Level -

Test #

0	7	Top Soil
7	25	Med. Coarse Gravel Loose
25	48	Brown Sandy Clay
48	65	Fine to Med. Sand and Gravel Loose
65	79	Brown Sandy Clay
79	93	Fine to Med. Sand and Gravel Mixed Yellow Rock Loose
93	98	Fine to Med. Sand and Gravel Small Clay Streak
98	108	Brown Sandy Clay
108	127	Fine to Med. Sand and Fine Gravel Small Clay Streak Loose
127	137	Brown Sandy Clay
137	141	Fine to Med. Sand and Gravel Yellow Rock Loose
141	188	Med. Coarse Gravel Yellow Rock Loose
188	194	Med. Coarse Gravel Yellow Rock Little Tight
194	211	Yellow Clay
211	215	Shale

T.D. 200