


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

DODGE
CITY
SW

A B D

1. Location of well:		County Ford	Fraction SE NW NE NE 1/4 1/4 1/4 1/4	Section number 29	Township number T 26 S	Range number R 26 E/W
2. Distance and direction from nearest town or city: Street address of well location if in city:				3. Owner of well: R.R. or street: City, state, zip code:		
3 S. of Howell in Ford county				Norbert Feldt 403 Campus Drive Dodge City, Kansas		
4. Locate with "X" in section below: N W E S 1 Mile				Sketch map: 6. Bore hole dia. 2 7/8 in. Completion date Well depth 229 ft. 1-19-76		
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
5. Type and color of material				9. Casing: Material RMP Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 220 lbs./ft. Dia. 5 in. to 229 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. 320		
Top soil (sandy)				From	To	10. Screen: Manufacturer's name Jess & Lowell
Gravel (clean)				0	4	Type RMP Dia. 5 1/2 in. Slot/gauze 1/8" X Length 60 ft.
Sandy tan clay streaks & gravel				4	30	Set between 89 ft. and 229 ft. ft. and <input type="checkbox"/> ft.
Yellow Clay				30	228	Gravel pack? yes Size range of material 3/16"
228						11. Static water level: mo./day/yr. 39 ft. below land surface Date 1/13/76
BROCK 228'						12. Pumping level below land surfaces: ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 480 g.p.m.
39						13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date
189' subtl. ls.						14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 12 inches above grade
100'						15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
100'						16. Nearest source of possible contamination: ft. 100 Direction North Type corall Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
100'						17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Aermotor Model number SD19-150HP 1 1/2 Volts 220 Length of drop pipe 147 ft. capacity 20 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Friesen Windmill 252 Business name License No. Address Moore, Kansas 67864 Signed [Signature] Date 2-4-76 Authorized representative		
19. Remarks: TOPU 2562 228 2334						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5