KOLAR Document ID: 1524796

	WELL R			WWC-5		vision of Wat					
U		Correction		ge in Well Use		ources App.]			Well ID		
				Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		ction Numb	er	Township Numb		ige Number	
Count											
	OWNER: L	ast Name:				reet or Rural Address where well is located (if unknown, distance and					
Business:	:				direction from	rection from nearest town or intersection): If at owner's address, check here:					
Address: Address:											
City:			State:	ZIP:							
3 LOCAT	E WELL			L		_					
	WITH "X" IN 4 DEPTH OF COMPLETED WELL:										
SECTIO	SECTION BOX: Depth(s) Groundwater Enco							e:			
1	N		2) ft. 3) ft., or 4) □ □ L'S STATIC WATER LEVEL:					WGS 84		AD 27	
	X T			yr)			Latitude/Longitude: unit make/model:)		
NW	NE			yr)			WAAS enabled?				
19 W		Pump test d				□ Land Survey □ Topographic Map			10)		
w	E	after	hours	gpm			Mapper:				
SW	SE		Well water was ft.								
3 W	5E		after hours pumping			6 Elevation:ft. Ground Level TOC					
		Estimated Yield:gpm			6 1		Source: Land Survey GPS Topographic Map				
	S mile	Bore Hole I	Bore Hole Diameter: in. to								
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
T. Domestic			6. □ Dewatering: how many wells?								
			7. Aquifer Recharge: well ID			\Box Cased \Box Uncased \Box Geotechnical					
				g: well ID			al: how many bores				
	□ Irrigation 9. Environmental Remediation: well II						a) Closed Loop \Box Horizontal \Box Vertical				
3. ☐ Feedlot				e 🛛 🗌 Soil Vapor I							
4. 🗌 Industr	rial	Recovery	Injection		13. 🔲 O	13. 🗌 Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. from ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft. from ft. to ft.											
		e contaminati	on: No	potential source of con	tamination wi	thin 200 ft.					
□ Septic			Lateral Line			Livestock P	ens	Insection	ide Storage		
□ Sewer	Lines		Cess Pool	Sewage Lag	goon 🗌	Fuel Storage	e		oned Water		
	ight Sewer Lii			☐ Feedyard		Fertilizer St	orage	🗌 Oil We	ll/Gas Well		
Direction from well? ft.											
			ITHOLOG			ТО					
10 FROM	TO	L	THOLOG	GIULUG	FROM	10	LII	HO. LOG (cont.) or	PLUGGIN	GINTERVALS	
					Notes:	1	I				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged											
under my j	urisdiction a	nd was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of my	y knowled	ge and belief.	
Kansas Wa	ter Well Cor	ntractor's Lice	ense No	This Wa	ter Well Re	cord was co	mple	ted on (mo-day-ye	ear)		
under the b	ousiness name	e of	WATED I	/ELL OWNER and retain of		onda E- CA	5 00 0	on op als a	 11	<u></u>	
KS Departr										2785-296-3565	
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										