


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County	Fraction	Section number	Township number	Range number
Gray	SW 1/4 NE 1/4 NE 1/4	22	T 26 S	R 27 E N	
2. Distance and direction from nearest town or city: 1 mi. S, 4 mi. E, 1 mi, S, of Cimarron, Kansas. Street address of well location if in city:	3. Owner of well: Clarence Crick R.R. or street: R. R. City, state, zip code: Cimarron, Kansas				
4. Locate with "X" in section below: N	Sketch map:  Near pivot in NE 1/4, Sec. 22, T26S, R27W, Gray County, Kansas.				
5. Type and color of material	From	To	6. Bore hole dia. 216 in. Completion date 10/22/76 Well depth 216 ft.		
Sandy soil	0	2	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input checked="" type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Blue clay	2	10	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Coarse sand	10	26	9. Casing: Material <input checked="" type="checkbox"/> Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 37 lbs./ft. Dia. 16 in. to 166 ft. depth Well Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 219		
Tan clay with sand & gravel	26	37	10. Screen: Manufacturer's name Cook, DOWXX		
Coarse sand	37	51	Type <input checked="" type="checkbox"/> ironware Dia. 16" Slot/gauze 1/8" Length 50' Set between 166 ft. and 216 ft. ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 5-3mm		
Tan clay	51	72	11. Static water level: <input type="checkbox"/> mo./day/yr. 8 ft. below land surface Date 4/23/76		
Coarse sand	72	96	12. Pumping level below land surfaces: <input checked="" type="checkbox"/> not pumped ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.		
Tan clay with sand	96	136	13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
Fine sand	136	157	14. Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> Inches above grade		
Coarse sand medium to coarse gravel with			15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 16 ft.		
white rock	157	218	16. Nearest source of possible contamination: unk. ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type		
black shale	218	229	Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
(Use a second sheet if needed)					
18. Elevation:	19. Remarks:				
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley					
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne-Western Co., Inc. 102 Business name <input type="checkbox"/> License No. Address Garden City, Kansas Signed <input type="checkbox"/> Authorized representative <input type="checkbox"/> Date 10/22/76					