


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: Gray Fraction: SE 1/4 SE 1/4 NW 1/4 Section Number: 24 Township Number: T 26 S Range Number: R 27 E

Distance and direction from nearest town or city street address of well if located within city?
From Howell 1 mile south, 3 1/2 miles west, 1/2 mile south

2 WATER WELL OWNER: Rocky Fairbank
 RR#, St. Address, Box #: Rt. 2
 City, State, ZIP Code: Cimarron, Ks. 67835
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 31' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 1 ft. 2. 29 1/2 ft. 3. 31 ft.
 WELL'S STATIC WATER LEVEL 29 1/2 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 1 ft. after 1 hours pumping 1 gpm
 Est. Yield 1 gpm: Well water was 1 ft. after 1 hours pumping 1 gpm
 Bore Hole Diameter: 1 in. to 1 ft., and 1 in. to 1 ft.
 WELL WATER TO BE USED AS:
 1 Domestic 1 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes X No 1; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes 1 No 1

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 1
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 1
 7 Fiberglass Threaded 1
 Blank casing diameter 1 in. to 1 ft., Dia 1 in. to 1 ft., Dia 1 in. to 1 ft.
 Casing height above land surface 1 in., weight 1 lbs./ft. Wall thickness or gauge No. 1
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) N/A
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) N/A
 SCREEN-PERFORATED INTERVALS: From 1 ft. to 1 ft., From 1 ft. to 1 ft., From 1 ft. to 1 ft.
 GRAVEL PACK INTERVALS: From 1 ft. to 1 ft., From 1 ft. to 1 ft., From 1 ft. to 1 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 3 ft. to 20 ft., From 1 ft. to 1 ft., From 1 ft. to 1 ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? Northwest How many feet? 12'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>3</u>	<u>20</u>	<u>Bentonite Pellets</u>
			<u>20</u>	<u>29 1/2</u>	<u>Soil</u>
			<u>29 1/2</u>	<u>31</u>	<u>Chlorinated Sand</u>

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-19-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. S-33 This Water Well Record was completed on (mo/day/yr) 11-23-91 under the business name of Santzen Water Well Repair by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
EW
SEC.