

CW 17020

WATER WELL RECORD Form WWC-5 KSA 82a-1212 Schwartz C-1

LOCATION OF WATER WELL		Fraction <u>W C-NE 1/4 SW</u>	1/4	Section Number <u>26</u>	Township Number <u>26</u>	S	Range Number <u>R 27</u>	EW		
Distance and direction from nearest town or city <u>From Ensign go 7 1/2 N. 1mi W. 1/2 mi S. 1/2 mi E. to location</u>				Street address of well if located within city?						
WATER WELL OWNER:		Cities Service 3545 N.W. 58th Okla. City, Okla. 73112				Board of Agriculture, Division of Water Resources Application Number: T 80-219				
RR#, St. Address, Box #										
City, State, ZIP Code										
DEPTH OF COMPLETED WELL		140	ft. Bore Hole Diameter	9	in. to	ft., and	in. to	ft.		
Well Water to be used as:		5 Public water supply	8 Air conditioning	11 Injection well						
1 Domestic	3 Feedlot	<u>6 Oil field water supply</u>	9 Dewatering	12 Other (Specify below)						
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Observation well							
Well's static water level		38	ft. below land surface measured on	<u>April</u>	month	23	day	1980	year	
Pump Test Data		Well water was	ft. after	hours pumping					gpm	
Est. Yield	70	gpm:	Well water was	ft. after	hours pumping					gpm
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	Casing Joints: <u>Glued</u> Clamped						
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	<u>Welded</u>						
<u>2 PVC</u>	4 ABS	7 Fiberglass	<u>Threaded</u>							
Blank casing dia	5"	in. to	40	ft., Dia	in. to	ft., Dia	in. to	ft.		
Casing height above land surface	28	in., weight	2.78	lbs./ft.	Wall thickness or gauge No	256				
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	10 Asbestos-cement							
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	<u>11 Other (specify)</u>						
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	<u>12 None used (open hole)</u>						
Screen or Perforation Openings Are:		5 Gauzed wrapped	8 Saw cut	<u>11 None (open hole)</u>						
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes							
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)							
Screen-Perforation Dia	5	in. to	100	ft., Dia	in. to	ft., Dia	in. to	ft.		
Screen-Perforated Intervals:	From	40	ft. to	140	ft., From	ft. to	ft. to	ft.		
Gravel Pack Intervals:	From	10	ft. to	140	ft., From	ft. to	ft. to	ft.		
From	ft. to	ft., From	ft. to	ft.						
5 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other						
Grouted Intervals: From	0	ft. to	10	ft., From	ft. to	ft., From	ft. to	ft.		
What is the nearest source of possible contamination:										
1 Septic tank	4 Cess pool	7 Sewage lagoon	10 Fuel storage	<u>14 Abandoned water well</u>						
2 Sewer lines	5 Seepage pit	8 Feed yard	11 Fertilizer storage	<u>15 Oil well/Gas well</u>						
3 Lateral lines	6 Pit privy	9 Livestock pens	12 Insecticide storage	<u>16 Other (specify below)</u>						
Direction from well	<u>North east</u>	How many feet	100	?	Water Well Disinfected?	Yes	No	If yes, date sample		
Was a chemical/bacteriological sample submitted to Department?	Yes			Model No.	HP	Volts				
was submitted	month	day	year	Pump Installed?	Yes	No				
If Yes: Pump Manufacturer's name										
Depth of Pump Intake	ft. Pumps Capacity rated at gal/min.									
Type of pump:	1 Submersible	2 Turbine	3 Jet	4 Centrifugal	5 Reciprocating	6 Other				
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on <u>April</u> month <u>23</u> day <u>1980</u> year										
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>118</u> by (signature) <u>Edward L. Greene</u>										
This Water Well Record was completed on <u>April</u> month <u>29</u> day <u>1980</u> year under the business name of <u>Carlile Water Well Service, Inc.</u>										
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG		
		0	2	<u>Surface</u>						
		2	20	<u>Fine sand & sandy clay</u>						
		20	60	<u>Medium to large sand</u>						
		60	70	<u>Gravel</u>						
		70	80	<u>Sandy clay & caliche</u>						
		80	97	<u>Caliche</u>						
		97	120	<u>Medium to large sand & gravel</u>						
		120	140	<u>Clay & caliche</u>						
ELEVATION: Depth(s) Groundwater Encountered 1. <u>102</u> ft. 2. <u>ft.</u> 3. <u>ft.</u> 4. <u>ft.</u> (Use a second sheet if needed)										
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.										