

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Jon Heiman
Gray County
2/2/05

Location: NW $\frac{1}{4}$ 19-26-27 - One mile south of Cimarron Bridge - 2 miles east,
 $\frac{1}{2}$ mile south, $\frac{1}{2}$ mile west, $\frac{1}{4}$ mile south &
 $\frac{1}{4}$ mile west - Offset well - 56 ft. east & 116 ft. north

Static Water Level - 65 ft.

Test #1

0' to 1' - Top soil
1' to 6' - Fine sand - loose
6' to 9' - Fine to medium sand & gravel
7' to 32' - Medium coarse gravel
32' to 113' - Fine to medium sand & gravel - 10% clay
113' to 125' - Brown gray clay
125' to 143' - Brown clay
143' to 145' - Fine sand
145' to 166' - Brown clay
166' to 205' - Fine to medium sand & gravel small yellow rock
205' to 214' - Brown clay - small gravel strips
214' to 217' - Fine to medium sand & gravel small yellow rock
217' to 219' - Yellow clay
219' to 230' - Shale - hard pull down 350

XXX

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Jon Heiman
Gray County
2/2/05

Location: NW $\frac{1}{4}$ 19-26-27 - One mile south of Cimarron Bridge - 2 miles east,
 $\frac{1}{2}$ mile south, $\frac{1}{2}$ mile west, $\frac{1}{4}$ mile south &
 $\frac{1}{4}$ mile west - Offset well - 56 ft. east & 116 ft. north

Static Water Level - 65 ft.

Test #1

0' to 1' - Top soil
1' to 6' - Fine sand - loose
6' to 9' - Fine to medium sand & gravel
7' to 32' - Medium coarse gravel
32' to 113' - Fine to medium sand & gravel - 10% clay
113' to 125' - Brown gray clay
125' to 143' - Brown clay
143' to 145' - Fine sand
145' to 166' - Brown clay
166' to 205' - Fine to medium sand & gravel small yellow rock
205' to 214' - Brown clay - small gravel strips
214' to 217' - Fine to medium sand & gravel small yellow rock
217' to 219' - Yellow clay
219' to 230' - Shale - hard pull down 350

XXX

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Jon Heiman
Gray County
2/2/05

Location: NW $\frac{1}{4}$ 19-26-27 - One mile south of Cimarron Bridge - 2 miles east,
 $\frac{1}{2}$ mile south, $\frac{1}{2}$ mile west, $\frac{1}{2}$ mile south &
 $\frac{1}{2}$ mile west - Offset well - 56 ft. east & 116 ft. north

Static Water Level - 65 ft.

Test #1

0' to 1' - Top soil
1' to 6' - Fine sand - loose
6' to 9' - Fine to medium sand & gravel
7' to 32' - Medium coarse gravel
32' to 113' - Fine to medium sand & gravel - 10% clay
113' to 125' - Brown gray clay
125' to 143' - Brown clay
143' to 145' - Fine sand
145' to 166' - Brown clay
166' to 205' - Fine to medium sand & gravel small yellow rock
205' to 214' - Brown clay - small gravel strips
214' to 217' - Fine to medium sand & gravel small yellow rock
217' to 219' - Yellow clay
219' to 230' - Shale - hard pull down 350

XXX