

1 LOCATION OF WATER WELL:	Fraction <u>SW 1/4 NW 1/4 SW 1/4</u>	Section Number <u>2</u>	Township Number <u>T 26 S</u>	Range Number <u>R 28 E</u>
County: <u>Gray</u>				

Distance and direction from nearest town or city street address of well if located within city?

122 S. Main, Cimarron, Kansas

2 WATER WELL OWNER: <u>Grain Growers Cooperative</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>122 S. Main</u>	Application Number:
City, State, ZIP Code : <u>Cimarron, Ks. 67835</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL. <u>62'</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. .... ft. 2. .... ft. 3. .... ft. WELL'S STATIC WATER LEVEL <u>53.95</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was .... ft. after .... hours pumping .... gpm Est. Yield .... gpm: Well water was .... ft. after .... hours pumping .... gpm Bore Hole Diameter. <u>7.5</u> in. to <u>62'</u> ft. and .... in. to .... ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No..... If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued ..... Clamped .....
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded .....
2 PVC	4 ABS	7 Fiberglass	Threaded. <u>X</u>
Blank casing diameter <u>2</u> in. to <u>42</u> ft. Dia. .... in. to .... ft. Dia. .... in. to .... ft.			
Casing height above land surface .... in. weight <u>.716</u> lbs./ft. Wall thickness or gauge No. <u>.154</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>42</u> ft. to <u>62</u> ft. From .... ft. to .... ft.			
GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>62</u> ft. From .... ft. to .... ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>20</u> ft. From .... ft. to .... ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>82' Northwest</u>			How many feet? <u>82'</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Concrete and Gravel			
1	9	Med. Brown Stiff Silty Clay/w/ Trace of Dry Sand			
9	30	Silty Clay w/ Very Stiff Caliche			
30	40	Dark Brown Clay			
40	43	Clay w/Caliche			
43	62	Brown, Med., Soft, Sandy Clay to Clayey Silty Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-16-92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>554</u> This Water Well Record was completed on (mo/day/yr) <u>10-23-92</u> under the business name <u>WOOFER PUMP &amp; WELL, INC.</u> by (signature) <u>Jay C. Woofert</u>
--