


CIM 171

1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number  
 County: Gray SE 1/4 SE 1/4 NW 1/4 11 T 26 S R 28 **XBW**  
 Distance and direction from nearest town or city street address of well if located within city?  
 South Cedar Blk 93 Original Town

2 WATER WELL OWNER: Vince Sauer  
 RR#, St. Address, Box #: Box 336 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Cimarron, Ks 67835 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 10 ft. ELEVATION:  
 Depth(s) Groundwater Encountered: 1. no water ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 0 ft. below land surface measured on mo/day/yr: 2-26-90  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: in. to ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes No

5 TYPE OF CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded  
 Blank casing diameter: 4 in. to ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface: 1 ft. below in., weight lbs./ft. Wall thickness or gauge No.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? How many feet? 50

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0'	1'	casing cut off below ground & covered with dirt			
1'	9'	Bentonite plug - mushroomed over casing top			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-26-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. - 0 - This Water Well Record was completed on (mo/day/yr) 3-14-90 under the business name of - 0 - by (signature) Vince Sauer

INSTRUCTIONS: Use two quarts of ball-point pen. PLEASE PRINT OR TYPE ALL INFORMATION.