

1 LOCATION OF WATER WELL		Fraction		Section Number		Township Number		Range Number	
County: Gray		SE 1/4 SE 1/4 NE 1/4		12		T 26 S		R 28 E/W	
Distance and direction from nearest town or city? 1 mile East of Cimarron, Ks. on highway 50				Street address of well if located within city?					
2 WATER WELL OWNER: Ronald Burns									
RR#, St. Address, Box # :				Board of Agriculture, Division of Water Resources					
City, State, ZIP Code : Cimarron, Kansas 67835				Application Number:					
3 DEPTH OF COMPLETED WELL: 221 ft. Bore Hole Diameter: 8 in. to ft., and in. to ft.									
Well Water to be used as:									
1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well									
2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
7 Lawn and garden only 10 Observation well									
Well's static water level: 90 ft. below land surface measured on August month 23rd day 1979 year									
Pump Test Data: Well water was ft. after hours pumping. gpm									
Est. Yield: 60 gpm. Well water was ft. after hours pumping. gpm									
4 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued XX Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded									
Blank casing dia: 5 in. to 2 1/2 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface: 12 in., weight lbs./ft. Wall thickness or gauge No. 260-Jet Stream									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)									
9 ABS 12 None used (open hole)									
Screen or Perforation Openings Are:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
Screen-Perforation Dia: 1/8 in. to 1/4 ft. Dia in. to ft. Dia in. to ft.									
Screen-Perforated Intervals: From 176 ft. to 216 ft. From ft. to ft. From ft. to ft.									
Gravel Pack Intervals: From 165 ft. to 216 ft. From ft. to ft. From ft. to ft.									
5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grouted Intervals: From 10 ft. to 20 ft. From 20 ft. to 70 ft. From ft. to ft.									
What is the nearest source of possible contamination: new building site 10 Fuel storage 14 Abandoned water well									
1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 15 Oil well/Gas well									
2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 16 Other (specify below)									
3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines									
Direction from well: How many feet: ? Water Well Disinfected? Yes XXX No									
Was a chemical/bacteriological sample submitted to Department? Yes No XXXX If yes, date sample									
was submitted month day year: Pump Installed? Yes XXX No									
If Yes: Pump Manufacturer's name: Goulds Model No. 25FL HP 11 Volts 230									
Depth of Pump Intake: 150 ft. Pumps Capacity rated at 25 gal./min.									
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other									
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on August month 29th day 1979 year									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179									
This Water Well Record was completed on October month 22nd day 1979 year under the business									
name of JOE'S WELL SERVICE - CIMARRON, KS. by (signature)									
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
ELEVATION: 225 ft. 240 ft. LITHOLOGIC LOG									
FROM TO LITHOLOGIC LOG									
0 15 Top soil & clay									
15 30 Clay									
30 45 Clay & fine sand									
45 60 Fine to coarse sand & clay									
60 75 Clay									
75 120 Clay & fine sand layers									
120 165 Clay									
165 180 Clay & medium to coarse sand									
180 210 Medium to coarse sand									
210 225 Medium to coarse sand & clay									
225 240 Clay & blue shale									
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)									
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									