

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Gray	Fraction NW 1/4 NW 1/4 SE 1/4	Section number #21	Township number #26	Range number #28
2. Distance and direction from nearest town or city: $2\frac{1}{2}$ miles south and $2\frac{1}{2}$ miles west of Cimarron, Ks. on highway 23	3. Owner of well: Eileen Phillips R.R. or street: R.R. Street address of well location if in city: City, state, zip code: Ensign, Kansas 67841				
4. Locate with "X" in section below:	Sketch map: 				
Windmill in middle of Pasture.					
5. Type and color of material	From	To	6. Bore hole dia. 205 ft. Completion date 9-20-76 Well depth 8 in.		
Top soil & fine sand	0	15	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Fine sand & clay	15	30	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input checked="" type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Clay & medium sand	30	45	9. Casing: Material RMP Height: Above or <input type="checkbox"/> <input type="checkbox"/> Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC Weight lbs./ft. Dia. 5 in. to 205 ft. depth Wall Thickness: inches or Dia. in. to ft. depth gage No. 250		
Coarse sand	45	105	10. Screen: Manufacturer's name Sunflower Type RMP Dia. 5" Slot/gage 1/8" Length 20 ft. Set between 180 ft. and 200 ft. ft. and ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1"		
Medium to fine sand	105	120	11. Static water level: mo./day/yr. 75 ft. below land surface Date 9-20-76		
Fine to medium (coarse) sand	120	135	12. Pumping level below land surfaces: None ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
Coarse sand & clay	135	150	13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No Date		
Clay & fine sand	150	165	14. Well head completion: None Pitless adapter Inches above grade		
Fine sand	165	180	15. Well grouted? <input checked="" type="checkbox"/> With: Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 15 ft.		
Fine to medium sand	180	195	16. Nearest source of possible contamination: None ft. direction Type Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Medium clay & blue shale	195	205	17. Pump: Windmill <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
(Use a second sheet if needed)					
18. Elevation:	19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	<p>20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.</p> <p>Joe's Well Service, 179 Business name Address Box 174 Cimarron, Ks. Signed <i>Larry Creek</i> Date 11-21- Authorized representative</p>				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5