


Drilled for Cimarron Irrigation
Set Cimarron Irr. casing

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Gray	Township name Cimarron	Fraction SW¹/₄	Section number 26	Town number 26	Range number 28				
Distance and direction from nearest town or city: 2 1/2 mi So. of Cimarron, Ks Street address of well location if in city:				3 Owner of well: Leroy Addison Address: Cimarron, Ks						
Locate with "X" in section below: N  W E S 1 Mile				Sketch map:						
2 Type and color of material				From	To					
				Fine sand	0	30				
				Coarse gravel with white rock mixed	30	94				
				Brown sandy clay	94	96				
				Coarse gravel	96	100				
				Brown sandy clay	100	131				
				Fine to medium sand and gravel	131	136				
				Brown sandy clay	136	138				
				Fine to medium sand and gravel	138	140				
				Fine sand	140	161				
(use a second sheet if needed)				Fine to medium sand	161 170					
				Brown sandy clay	170 180					
				Fine to med. sand and gravel with white and brown rock	180 195					
				Brown sandy clay with fine sand and white and brown rock mixed	195 200					
				Yellow and gray clay	200 210					
				16 Remarks: elevation Cimarron Irrigation will handle testing, grouting and pump				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Ace-Hi Drilling Co 190A Business name License No. Address Box 1442, Dodge City, Ks Signed Carl B. Tuttle Date 2-29-75 Authorized representative		

4 Well depth: **200** ft. Date of completion **2-21-75**
Well diameter **26** in.

5 Cable tool Rotary Driven Dug
 Hollow rod Jetted Bored Reverse rotary

6 Use: Domestic Public supply Industry
 Irrigation Air conditioning Commercial
 Test well

7 Casing: Material **Metal** Height: above/below
Threaded Welded Surface **18** in. **Ab**
Diam. **18** in. Weight _____ lbs./ft. _____
16 in. to **50** ft. depth Drive shoe? Yes No
16 in. to **200** ft. depth

8 Screen **Cook 1/8 10'**
Manufacture **Free-flow (W.A. Brown)**
Type **10%** Dia. **16**
Slot/gauze **1/8** Length _____
Set between **50** ft. and **90** ft. **150-200**
Fittings:
Gravel pack Yes No Size range of material **1/2**

9 Static water level:
_____ ft. below land surface Date _____

10 Pumping level below land surfaces:
_____ ft. after _____ hrs. pumping _____ g.p.m.
_____ ft. after _____ hrs. pumping _____ g.p.m.
Estimated maximum yield _____ g.p.m.

11 Water sample submitted:
 Yes No Date _____

12 Well head completion:
 Pitless adapter Inches above grade

13 Well grouted? Yes No
 Neat cement Bentonite _____
Depth: From _____ ft. to _____ ft.

14 Nearest source of possible contamination:
ft. **NA** Direction _____ Type _____
Well disinfected upon completion? Yes No

15 Pump: Not installed
Manufacturer's name _____
Model number _____ HP _____ Volts _____
Length of drop pipe _____ ft. capacity _____ g.m.p.
Type:
 Submersible Turbine
 Jet Reciprocating
 Centrifugal Other