USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

	$T^{T^{m}}$	TT					
						L	
T	R	EW	sec	1/4	1/4	1/4	No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes—Bldg. 740 Topeka, Kansas 66620

1 Location of well:	County	Township name	Fraction		Section number			Town number	Range number	
	Gray	Cimarron	Cent.	SWX.	35			26	28	
Distance and directi	ion from nearest town or cit		of well	: (	3. O	. Addison				
Street address of well location if in city:  Cimarron  Add					ss:	Rtl	Cimarron, Kansas			
Locate with "X" in section below: Sketch map:									ate of completion2-18-	75
N							Well diameter 26 in.			
	i						5 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rota			
							6 Use: Domestic Public supply Industry			
w  ;;  E										
<b>x</b>							7 Ca	sing: Material	leight: above/below	1
<u> </u>							Τŀ	nreaded 🔲 Welded 🕱 iS	urface in. Veight lbs./ft	į
ļ	1 Mile	E 18					Τ.	Din. to ∠DO+, depth¦[	Orive shoe? Yes No	
2	Тур	e and color of material			From	То	8 50	in. to ft. depth!		1
Wine a					_	1.0	М	anufacturer Free-fl		
Fine s	and				0	40	Ty SI	pe <u>10%</u> D ot/gauze <u>1/8</u> L	oia	
Clay					40	52		t between 81 ft. and	ength 2H 121 ft. 186 to 2	66
Medium	sand and gr	avel			52	60			Size range of material 🏂	down
Fine to medium sand				[ (	60	70		atic water level:		
Brown	clay			1	70	80		ft. below land surface imping level below land sur		
Good sand and gravel					80	91		ft. after hrs. ft. after hrs.		
Yellow	caleche cla	У			91	110		rimated maximum yield		
Medium	sand & grav	el with 15%	clay	1:	10	121		ater sample submitted: Yes 🛨 No Date		
•	e clay			- 1	21	147		ell head completion:	·	
· .						15 <b>5</b>			Inches above grade	
Fine sand with 20% clay mixed				- 1				ell grouted?   Yes Neat cement   Bentoni	Moowner wil	μ αο
Cla y					55	175	De	pth: From ft. to _	ft.	
Fine sand					75	185	14 N	earest source of possible co . NA Direction —— ell disinfected upon comple	ntamination:	
Clay					85	190			_	
A-l sand and gravel					90	265	15 Pu M	mp: [ anufacturer's name	Not installed	
Yellow	clay			20	65	270		odel number h	Volts	
Shale				2'	70	280	Ту	pe:	_	
							_	Submersible [	Turbine Reciprocating	
		a second sheet if needed)	i , i	, , _					Other	
16 Remarks: elevati	in G.O. Addis beet of th	SON will go	cout the	top i	Ten	(10)		ater well contractor's certif is well was drilled under my		
Topography	Lest of 4	is well.		7~-			re	port is true to the best of my	knowledge and belief.	
<u> </u>  Hill	000 ///	is averous	2-21-	/5				ce-Hi Drilling Siness agence 1442,		¥'c
Slope Upland								ddress BOX 1442, gned Gall 6 Jitt	Douge City,	Ks 5
Valley							31	Authorized represe	ntative	