

1	LOCATION OF WATER WELL:	Fraction	Section	Number	Township	Number	Range	Number																					
County: <u>Gray</u>		<u>SE 1/4 NE 1/4 NW 1/4</u>	<u>11</u>		<u>26</u>		<u>28W</u>	<u>EW</u>																					
Distance and direction from nearest town or city street address of well if located within city? <u>402 W Ave A</u>																													
2	WATER WELL OWNER: <u>Osborn 66</u>	Board of Agriculture, Division of Water Resources Application Number:																											
RR #, St. Address, Box #: <u>402 W Ave A</u> City, State, ZIP Code : <u>Cimarron KS 67835</u>																													
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF WELL <u>42</u> ft.																										
		WELL'S STATIC WATER LEVEL <u>PR 4</u> ft. WELL WAS USED AS: <table> <tr><td>1 Domestic</td><td>5 Public Water Supply</td></tr> <tr><td>2 Irrigation</td><td>6 Oil Field Water Supply</td></tr> <tr><td>3 Feedlot</td><td>7 Domestic (Lawn & Garden)</td></tr> <tr><td>4 Industrial</td><td>8 Air Conditioning</td></tr> </table>							1 Domestic	5 Public Water Supply	2 Irrigation	6 Oil Field Water Supply	3 Feedlot	7 Domestic (Lawn & Garden)	4 Industrial	8 Air Conditioning													
1 Domestic	5 Public Water Supply																												
2 Irrigation	6 Oil Field Water Supply																												
3 Feedlot	7 Domestic (Lawn & Garden)																												
4 Industrial	8 Air Conditioning																												
9 Dewatering 10 Monitoring Well 11 Injection Well 12 Other Was a chemical / bacteriological sample submitted to Department? Yes <u>No</u> If yes, mo/day/yr sample was submitted Water Well Disinfected: Yes <u>No</u>																													
5	TYPE OF BLANK CASING USED:																												
1 Steel 3 RMP (SR) 5 Wrought 7 Fiberglass 9 Other (Specify below) <u>3 PVC</u> 4 ABS 6 Asbestos-Cement 8 Concrete Tile																													
Blank casing diameter <u>2</u> in. Was casing pulled? Yes No If yes, how much Casing height above or below land surface <u>6</u> in.																													
6	GROUT PLUG MATERIAL: 1 Neat cement 2 Cement grout <u>3</u> Bentonite 4 Other Grout Plug Intervals: From <u>0</u> ft. to <u>5</u> ft., From <u>5</u> ft. to <u>29</u> ft., From to ft.																												
What is the nearest source of possible contamination: <table> <tr><td>1 Septic tank</td><td>6 Seepage pit</td><td>11 Fuel storage</td><td><u>16</u> Other (specify below) <u>US</u></td></tr> <tr><td>2 Sewer lines</td><td>7 Pit privy</td><td>12 Fertilizer storage</td><td></td></tr> <tr><td>3 Watertight sewer lines</td><td>8 Sewage lagoon</td><td>13 Insecticide storage</td><td></td></tr> <tr><td>4 Lateral lines</td><td>9 Feedyard</td><td>14 Abandoned water well</td><td></td></tr> <tr><td>5 Cess pool</td><td>10 Livestock pens</td><td>15 Oil well/Gas well</td><td></td></tr> </table>									1 Septic tank	6 Seepage pit	11 Fuel storage	<u>16</u> Other (specify below) <u>US</u>	2 Sewer lines	7 Pit privy	12 Fertilizer storage		3 Watertight sewer lines	8 Sewage lagoon	13 Insecticide storage		4 Lateral lines	9 Feedyard	14 Abandoned water well		5 Cess pool	10 Livestock pens	15 Oil well/Gas well		
1 Septic tank	6 Seepage pit	11 Fuel storage	<u>16</u> Other (specify below) <u>US</u>																										
2 Sewer lines	7 Pit privy	12 Fertilizer storage																											
3 Watertight sewer lines	8 Sewage lagoon	13 Insecticide storage																											
4 Lateral lines	9 Feedyard	14 Abandoned water well																											
5 Cess pool	10 Livestock pens	15 Oil well/Gas well																											
Direction from well? <u>NW</u> How many feet? <u>10</u>																													
<table border="1"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>PLUGGING MATERIALS</th> </tr> </thead> <tbody> <tr> <td><u>0</u></td> <td><u>42</u></td> <td><u>20-30% solid bentonite slurry grout with top 5 feet overdrilled after grouting</u></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>									FROM	TO	PLUGGING MATERIALS	<u>0</u>	<u>42</u>	<u>20-30% solid bentonite slurry grout with top 5 feet overdrilled after grouting</u>															
FROM	TO	PLUGGING MATERIALS																											
<u>0</u>	<u>42</u>	<u>20-30% solid bentonite slurry grout with top 5 feet overdrilled after grouting</u>																											

7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) <u>4/4/05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>594</u> This Water Well Record was completed on (mo/day/year) <u>5/19/05</u> under the business name of <u>Caranco Great Plains</u> by (signature) <u>C. S. 24</u>
---	--

INSTRUCTIONS: Use typewriter or ball point pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5522. Send one to Water Well Owner and retain one for your records.