1 LOCATION OF WATER WELL: Fraction Section Number Township No. Range Number County: GRAY NW ¼ NE ¼ SE ¼ NW ¼ 11 T 26 S R 28 □E	√w
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here . Latitude:37,807,10 (in decimal deg	rees)
LIANY 50 & CEDAR STREET, CIMARRONI, KS 67835 Longitude: 100.35264 (in decimal des	rees)
Elevation: .2632.34 Datum: WGS 84, NAD 83, NAD 27	
2 WATER WELL OWNER: JAKE OSBORN Datum. WGS 84, WINAD 85, WAD 8	
RR#, Street Address, Box #: PO BOX 492)
City, State, ZIP Code : CIMARRON, KS 67835 Digital Map/Photo, Topographic Map, Land Su	
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 75.0 ft.	
SECTION BOX: Depth(s) Groundwater Encountered (1).~60.0 ft. (2)	. ft.
N WELL'S STATIC WATER LEVEL. 63.10ft. below land surface measured on mo/day/yr	••••
Pump test data: Well water wasft. after hours pumping	pm
EST. YIELDgpm. Well water wasft. after hours pumping	pm
W E Bore Hole Diameterin. toft., andin. toin. toft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well	>
SWSE Domestic	ow)
Was a chemical/bacteriological sample submitted to Department? Yes No	••••
S If yes, mo/day/yr sample was submitted	
1 mile Water well disinfected? ☐ Yes ☑ No	
5 TYPE OF CASING USED: Steel V PVC Other	
CASING JOINTS: Glued Clamped Welded Threaded	
Casing diameter 2.0 in. to 50.0 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to	ft.
Casing height above land surface3.96 in., Weight	
TYPE OF SCREEN OR PERFORATION MATERIAL:	
Steel Stainless Steel PVC Other (Specify)	
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:	
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)	
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)	
SCREEN-PERFORATED INTERVALS: From. 50.0 ft. to75.0 ft., From ft. to	ft.
From ft. to ft., From ft. to	ft.
GRAVEL PACK INTERVALS: From. 47.0 ft. to	ft.
From	It.
Grout Intervals: From 1.0 ft to 47.0 ft From ft to ft From ft to	
What is the nearest source of possible contamination:	1 6.
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedvard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Lust Site	
Direction from well Distance from well Distance from well FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC NOTES LITHOLOGIC NOTES TO	
0 1 CONCRETE	വാ
1 5 CLAY, SILTY	
5 38 CLAY, SILTY	
38 49 SAND,CLAYEY,VERY FINE TO COARSE	
49 55 SAND&GRAVEL,FINE TO COARSE, MW11R	
CLAYEY	
55 62 CLAY, SANDY	
62 75 CLAY, SILTY	
GOVERNA CEORGE ON LANDOWNERD CONTRACTOR OF THE C	1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigcirc \) constructed, \(\bigcirc \) reconstructed, or \(\bigcirc \) plugg under my jurisdiction and was completed on (mo/day/year) .04/24/20.14 and this record is true to the best of my knowledge and be	ed :of
under my jurisdiction and was completed on (mo/day/year) .97/27/29/17 and this record is true to the best of my knowledge and be Kansas Water Well Contractor's License No594 This Water Well Record was completed on (mo/day/year) .97/91/2014	ICI.
under the business name of Coranco Great Plains, Inc. by (signature)	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three	copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 6661	2-1367.
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Vis http://www.kdheks.gov/waterwell/index.html .	t us at
	с Сору