WATER WELL R		m WWC-5	Div	ision of Water			
Original Record				urces App. No.		Well ID	
1 LOCATION OF W	ATER WELL:	Fraction		tion Number	Township Numb	er Range Number	
County: Gray	Hamilton	NE ¼ NE ¼ NW ½		25	T 26 S	R 28 □ E ☑ W	
2 WELL OWNER: La Business:	ast Name: Hamilton	First: Clint				(if unknown, distance and	
Address: PO Box 186	6				ŕ	r's address, check here:	
Address:				Q Rd & Hwy			
City: Cimarron	State: k	(S ZIP: 67835	East 1/4 mil	e on south s			
3 LOCATE WELL	4 DEPTH OF C	OMPLETED WELL:	500 ft	5 Latitud	le: 37.76603	30 (decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Groundwa	iter Encountered: 1)3	40 ft.		ıde: 100.337	927 (decimal degrees)	
N SECTION BOX.	2) ft.	3) ft., or 4)	Dry Well		☑ WGS 84 ☐ NAI		
	WELL'S STATIC	WATER LEVEL:20	ft.	Source f	for Latitude/Longitude		
	above land surf	face, measured on (mo-day face, measured on (mo-day	-yr). <u>02702720</u> 11	·			
NW NE		ell water was				(WAAS enabled? ☐ Yes ☐ No) Survey ☐ Topographic Map	
w + e		ours pumping				e Mapper:	
SW SE		ell water was					
3W 3E	afterh	ours pumping	. gpm	6 Floveti	on: 2657	. 🗹 Ground Level 🔲 TOC	
S	Estimated Yield:	30gpm r: 10.25. in. to 500	A and			GPS Topographic Map	
mile	Bore Hole Diamete	in. to	it. and	<u>source</u> .	Other KOLAR		
7 WELL WATER TO		The second secon					
1. Domestic:		Water Supply: well ID		10. □ Oil I	Field Water Supply: le	ease	
☑ Household	Dewat	ering: how many wells?			ole: well ID		
☐ Lawn & Garden		er Recharge: well ID			ed Uncased 0		
Livestock		oring: well ID			rmal: how many bores		
2. ☐ Irrigation 3. ☐ Feedlot		nental Remediation: well I			sed Loop Horizont		
4. Industrial	☐ Air Sp ☐ Recov		Extraction	6) Ope	n Loop ∐ Surface Di	scharge Inj. of Water	
Was a chemical/bacter			Ver [7] No.				
Water well disinfected?		idmitted to KDHE?	res 🛂 No	ii yes, date s	sample was submitte	d:	
8 TYPE OF CASING	USED · □ Steel □	PVC Other	CASI	JG IOINTS:	☐ Glued ☐ Clampe	1 Welded 7 Threaded	
Casing diameter 6 Casing height above land s	in. to 500	ft Diameter	in. to	ft Diamet	ter in. to	ft.	
Casing height above land s	surface 24	in. Weight	lbs./ft.	Wall thickne	ess or gauge No. SDF	117	
TYPE OF SCREEN OR	PERFORATION N	MATERIAL:					
		iberglass			r (Specify)		
☐ Brass ☐ Galv SCREEN OR PERFOR		oncrete tile None	used (open hole	:)			
☐ Continuous Slot			oroh Cut 🗆 D	milled Helen	Other (Smeeifer)		
		☐ Wire Wrapped ☐ 10	aw Cut \square N	one (Open Hol	□ Omer (specify)		
SCREEN-PERFORATE	ED INTERVALS: 1	rom 360 ft. to 500	ft., From .	ft. to .	ft., From	ft. to ft.	
GRAVEL PAC	CK INTERVALS: 1	From 0 ft. to 6	ft., From .	100 ft. to .	320 ft., From	340 ft. to 500 ft.	
9 GROUT MATERIA Grout Intervals: From	L: Neat cement	☐ Cement grout ☑ B	entonite 🔲 C	ther			
Grout Intervals: From		ft., From .320	ft. to3.4.0.	ft., From	ft. to	ft.	
Nearest source of possible Septic Tank	e contamination: Lateral 1	Lines Die Deiter	_	I in and a star Danie		-11- G4	
Sewer Lines	☐ Cess Po			Livestock Pens Fuel Storage		cide Storage oned Water Well	
☐ Watertight Sewer Lin				Fertilizer Stora		ell/Gas Well	
☐ Other (Specify)							
Direction from well?							
10 FROM TO		LOGIC LOG	FROM	TO L	ITHO. LOG (cont.) or	PLUGGING INTERVALS	
Attached Attached A	Attached				1/01 100		
					KOLAR		
				-			
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\subseteq \) constructed, \(\subseteq \) reconstructed, or \(\subseteq \) plugged under my jurisdiction and was completed on \(\subseteq \) day-year \(\ldot \) 02/2017 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's Local Model Market Well Record was completed on (mo-day-year) .05/29/2018							
under the business name	of Nash Water V	Vell Service, LLC			on (mo-day-y		
under the business name of Nash Water Well Service. LLC Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
KS Department of Health a Visit us at http://www.kdhe			000 SW Jackson	St., Suite 420, To	opeka, Kansas 66612-136	67. Telephone 785-296-3565. KSA 82a-1212	
L Total and at Integral www.kulle	M. S. F. Water Well/ HigeX.I	46117				NOA 02d-1212	

Form	WWC5	
Contractor	Nash Water Well Service, LLC	
Well Owner	Clint Hamilton	
Doc ID	1332945	

Litholgy

	4. 80 80 80	
0	20	Fine Med Sand
20	37	Fine Med Sand with Brown Clay Streaks
37	127	Fine Coarse Sand, small large gravel layers w/ Brown clay streaks
127	140	Large stone, cemented sand with small med gravel, brown/tan clay streaks
140	160	Fine Med sand with Tan Clay streaks
160	177	Fine Med Sand
177	191	Limestone Rock, Caliche, Fine Sand, white yellow clay
191	340	Blue Shale, hard rock layers
340	360	Gray Sandstone, with Blue Clay streaks
360	380	Gray Sandstone with Gray clay streaks
380	400	Gray Sandstone with Gray Clay Streaks
400	420	Gray Sandstone with Gray Clay Streaks
420	440	Tan Sanstone with Gray Clay streaks
440	460	Tan Sandstone With Gray Clay streaks
460	480	Tan Sandstone With Gray Clay streaks

· ... Gray NE-NE-NW-NW 25-26-28W

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Clint Hamilton
Doc ID	1332945

Litholgy

480		Tan Sandstone With Gray Clay streaks
489	500	Red Blue Clay