WATER WELL R	ECORD	Form	WWC-5	Div	ision of Water		Well ID
✓ Original Record Correction Chang			Fraction	Section Number Township Number Range Num			er Range Number
County: Gray			SW 1/4 SW 1/4 NW 1/4	NW 1/4	11	T 26 S	R 28ँ⊡ E 🛛 W_
2 WELL OWNER: Last Name: Nash First: Trevor Business: Nash Water Well Service,LLC Address: 710 W. Ave A Address:				Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:			
3 LOCATE WELL				105 0		37 8069	71 (1) (1)
WITH "X" IN	<b>4 DEPTH</b>	OF CON	1PLETED WELL: Encountered: 1) 10	!≌⊃ ft 4 ⊕	5 Latitu	de:	(decimal degrees)
SECTION BOX: N X-NWNE	Depth(s) Groundwater Encountered: 1)			Dry Well 4ft. (r).04/26/2019 (r)	Datum Source	Datum:       ☑ WGS 84       □ NAD 83       □ NAD 27         Source for Latitude/Longitude:       □ GPS (unit make/model:)	
W E	after	hours	s pumping	gpm	🗆 Or	line Mapper:	
SW SE	Well water was ft. after hours pumping gpm Estimated Yield:200gpm Bore Hole Diameter:15.75. in. to195 ft.			gpm . ft. and	6 Elevat Source	6 Elevation: 2635ft. ☑ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map ☑ Other KOLAR	
7 WELL WATER TO	BE USED 4	 	III. to				
<ul> <li>7 WELL WATER TO</li> <li>1. Domestic:</li> <li>2 Household</li> <li>2 Lawn &amp; Garden</li> <li>2 Livestock</li> <li>2. Irrigation</li> <li>3. Feedlot</li> <li>4 Industrial</li> </ul>	5. [ 6. [ 7. [ 8. [ 9. Ei	Public Wa   Dewaterin   Aquifer R   Monitorin nvironment   Air Sparg   Recovery	tter Supply: well ID g: how many wells? echarge: well ID g: well ID al Remediation: well ID e ☐ Soil Vapor E Injection	xtraction	10. □ Oil 11. Test H □ Ca: 12. Geoth a) Clo b) Op 13. □ Oth	Field Water Supply: 1 fole: well ID ed Uncased ermal: how many bore used Loop Horizon en Loop Surface D her (snecify):	ease Geotechnical s? tal
Was a chemical/bacter	iological sag	nle subr	vitted to KDHE?	Ves 17 No	If yes, date	sample was submitte	-d-
Water well disinfected?	V Yes	No			II yes, date	sample was submit	<b></b>
8 TYPE OF CASING USED:       □ Steel □ PVC □ Other       CASING JOINTS:       □ Glued □ Clamped □ Welded □ Threaded         Casing diameter       8       in. to       195       ft., Diameter       in. to       ft.         Casing height above land surface       24       in. Weight       ibs./ft.       Wall thickness or gauge No. SCH40							
SCREEN OR PERFOR	anized Steel ATION OPE	NINGS A	☑ PVC □ None us RE:	sed (open hol	D Other	er (Specify)	
Continuous Slot	☐ Mill Slot	□G	auze Wrapped 🔲 Tor	rch Cut 🔲 I	orilled Holes	Other (Specify)	
Louvered Shutter	ED INTERV	ned □ W ALS: From	160 ft. to $195$	w Cut $\square$ N ft., From .	None (Open He ft. to 40	ble) ft., From 130 A From	ft. to ft. 145 et to 195 e
9 GROUT MATERIA	$\mathbf{L} \cdot \square \operatorname{Neat} c$	ement	$\frac{1}{2} \qquad \qquad$	$\dots$ IL, <b>FIOI</b>	11. 10 )ther		
Grout Intervals: From	5 ft. to	40 L	. ft., From	ft. to145	ft., From .	ft. to	ft.
Nearest source of possible contamination:       No potential source of contamination within 200 ft.         Septic Tank       Lateral Lines       Pit Privy       Livestock Pens       Insecticide Storage         Sewer Lines       Cess Pool       Sewage Lagoon       Fuel Storage       Abandoned Water Well         Watertight Sewer Lines       Seepage Pit       Feedyard       Fertilizer Storage       Oil Well/Gas Well							
Direction from well?	ะก	Intro- C	Distance from we	11? 50			
Attached Attached	I	ITHOLO	GIC LOG	FROM	10	LITHO. LOG (cont.) o	r PLUGGING INTERVALS
	Macheu						
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .04/26/2019 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846							
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdhe	ks.gov/waterwe	l/index.html					KSA 82a-1212

Form	WWC5		
Contractor	Nash Water Well Service, LLC		
Well Owner	Trevor Nash		
Doc ID	1458442		

Litholgy

0	31	TOP SOIL, BROWN CLAY W/
		FINE SAND STREAKS
31	47	FINE COURSE SAND, WITH
		SMALL/MEDIUM GRAVEL STREAKS
47	58	BROWN/TAN CLAY WITH
		FINE COURSE SAND STREAKS
58	76	TAN CLAY, WITH FINE MEDIUM SAND
		STREAKS, WITH CALICHE
76	81	FINE SAND
81	99	CEMENTED SAND LAYERS, WITH
		FINE MEDIUM SAND AND THIN TAN CLAY STREAKS
99	103	STICKY, TIGHT TAN CLAY
103	120	FINE MEDIUM SAND, WITH
		TAN CLAY STREAKS
120	140	FINE COURSE SAND, WITH
		TAN/BROWN CLAY STREAKS
140	160	FINE MEDIUM SAND
160	172	FINE COURSE SAND, WITH THIN
		LAYERS OF SMALL/MEDIUM GRAVEL

Form	WWC5		
Contractor	Nash Water Well Service, LLC		
Well Owner	Trevor Nash		
Doc ID	1458442		

Litholgy

. .

172	187	FINE MEDIUM SAND, WITH TAN CLAY
187	191	FINE COURSE SAND, WITH
		STREAKS OF SMALL GRAVEL
191	193	ROCK, CALICHE, TAN CLAY, TIGHT
193	200	BLUE SHALE AND ROCK
200	215	BLUE SHALE