

WATER WELL RECORD

Form WWC-5

KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction SW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$	Section Number 21	Township Number T 26 S	Range Number R 29 E/W		
Distance and direction from nearest town or city street address of well if located within city? 3 1/2 south 2 1/2 west of Ingalls							
2 WATER WELL OWNER: Jess Koehn		Mustang Drilling Box 1609 Great Bend, Ks. 67530					
RR#, St. Address, Box # : Montezuma, Ks.		Board of Agriculture, Division of Water Resources Application Number: T83-666					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 240 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 31 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 50 ft. below land surface measured on mo/day/yr 12-14-83 Pump test data: Well water was ft. after hours pumping gpm Est. Yield NA gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to 240 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes HTH No					
5 TYPE OF BLANK CASING USED:		5 Wrought iron 1 Steel 3 RMP (SR) 2 PVC 4 ABS	8 Concrete tile 6 Asbestos-Cement 7 Fiberglass	CASING JOINTS: Glued Clamped Welded Threaded			
Blank casing diameter 5 in. to 220 ft., Dia in. to ft., Dia in. to ft.		Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. 2.58					
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel		5 Fiberglass 6 Concrete tile	7 PVC 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	11 None (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)			
SCREEN-PERFORATED INTERVALS: From 220 ft. to 240 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 10 ft. to 240 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.		2 Cement grout	3 Bentonite	4 Other	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage How many feet? 80		
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit							
14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)							
Direction from well? west							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
0	9	Top soil					
9	28	Fine sand					
28	31	White clay					
31	43	Sand and gravel					
43	95	Sand and gravel w/streaks of clay					
95	173	Large sand and gravel					
173	188	White sandy clay w/broken rock					
188	198	Sand and gravel					
198	223	Tan clay					
223	240	Medium sand and gravel					
240		Yellow clay					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-14-83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 12-28-83 under the business name of Rosencrantz & Bemis Ent. by (signature) Dora Dodson							
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							