

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Gray		SW 1/4 SW 1/4 NW 1/4		29		T 26 S		R 29 E/W	
Distance and direction from nearest town or city street address of well if located within city? from Ingalls, Ks. 5 miles South, 4 miles West, 1/2 mile North and 1 mile back East									
2 WATER WELL OWNER:		Slawson Drilling Co. (July #3) Rig #6							
RR#, St. Address, Box # :		P. O. Box 1409							
City, State, ZIP Code :		Great Bend, Kansas 67530							
Board of Agriculture, Division of Water Resources Application Number: None									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 195 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 89 ft. below land surface measured on mo/day/yr Sept. 2, 1981							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield 70 gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 8 in. to 195 ft., and in. to ft.							
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded <u>2 PVC</u> 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to 195 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., weight 200 psi lbs./ft. Wall thickness or gauge No. SDR 21							
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7 PVC</u> 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped <u>8 Saw cut</u> 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS:		From 150 ft. to 190 ft., From ft. to ft. From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS:		From 10 ft. to 195 ft., From ft. to ft. From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination: none		10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well?		How many feet?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG			
0	15	Sandy topsoil & brown clay							
15	60	Fine sand & brown clay layers							
60	75	Fine to medium sand							
75	165	Medium to coarse sand							
165	180	Coarse gravel & clay							
180	195	Coarse gravel							
195	210	Brown clay & sandrock layers							
210	225	Brown clay & shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Sept. 21, 1981 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 . This Water Well Record was completed on (mo/day/yr) June 22, 1982 under the business name of Joe's Well Service, Inc. Cimarron, Ks. by (signature) <i>Larry Crick</i>									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									