


USE TYPEWRITER OR BALL
POINT PEN. PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Gray	Fraction N $\frac{1}{2}$ SW 1/4 NE 1/4	Section number 6	Township number T 26 S R 29	Range number E (W)
2. Distance and direction from nearest town or city: 3/8 S. & 4 3/8 W. of Ingalls Street address of well location if in city:			3. Owner of well: R.R. or street: City, state, zip code:	Diane Janof c/o Sidney Warner Cimarron, KS	
4. Locate with "X" in section below: 	Sketch map:		6. Bore hole dia. 16 in. Completion date 9-16-76 Well depth 208 ft.		
5. Type and color of material See attachment	From	To	7. __ Cable tool __ Rotary __ Driven __ Dug __ Hollow rod __ Jetted __ Bored X __ Reverse rotary		
			8. Use: __ Domestic __ Public supply __ Industry X Irrigation __ Air conditioning __ Stock __ Lawn __ Oil field water __ Other		
			9. Casing: Material Steel Height: Above or below Threaded __ Welded X Surface 12 in. RMP __ PVC __ Weight 31 lbs./ft. Dia 16 in. to 208 ft. depth Wall Thickness: inches or Dia. in. to ft. depth gage No. 188		
			10. Screen: Manufacturer's name Brown Type Louvered Dia. 16" Slot/gauze 125 Length 46' Set between 186 ft. and 140 ft. ft. and ft. Gravel pack? Yes Size range of material 1/4 X		
			11. Static water level: mo./day/yr. 48 ft. below land surface Date 9-18-76		
			12. Pumping level below land surfaces: 125 ft. after hrs. pumping 1435 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
			13. Water sample submitted: mo./day/yr. Yes X No Date		
			14. Well head completion: Pitless adapter 12 inches above grade		
			15. Well grouted? Yes With: Neat cement X Bentonite Concrete Depth: From 0 ft. to 10 ft.		
			16. Nearest source of possible contamination: None ft. Direction Type Well disinfected upon completion? Yes X No		
			17. Pump: X Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: Submersible Turbine Jet Reciprocating Centrifugal Other		
(Use a second sheet if needed)			18. Elevation: Topography: X Hill Slope Upland Valley		
19. Remarks:			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Henkle Drilg. & Supply 145 Business name License No. Address Box 639 Garden City, KS Signed E. L. B. Date 10-4 Authorized representative		

DRILLERS TEST LOG

CUSTOMERS NAME Diane Janof DATE 4-13-72
 STREET ADDRESS # Sidney Warner TEST # 1
 CITY & STATE Cimarron, Kansas DRILLER Livingston
 COUNTY Gray QUARTER NE SECTION 6 TOWNSHIP 26 RANGE 29

LOCATION 560 Ft. South of Wind Mill WELL LOCATION Well Location

%	DRILLED FROM PAY	FOOTAGE TO	DESCRIPTION OF STRATA	static water level proposed well depth
	0	1	Top soil	
	1	10	Clay, caliche	
	10	30	Sand fine to med.; small to large gravel.	
	30	50	Brown sandy clay, caliche.	
	50	77	Sand fine to med. coarse; few clay st.	
	77	90	Brown clay and few fine sand st.	
50	90	100	Sand fine to med. coarse.	
30	100	10	Sand fine, small and clay st.	
	110	130	Brown clay.	
	130	W.S.	Sand fine and clay st.	
	137	170	Brown clay and fine sand st.	
40	170	10	Sand fine, small.	
80	180	26	Sand fine to med. coarse; small to med. brown gravel. White and tan rock. Loose.	
	206	210	Weathered shale.	
This isn't a very good test for this area. Additional testing should be done before drilling a well on this land.				
Total depth of well 208 ft Set up facing east Dug set on the south 11				

TEST HOLES
STOCK WELLS

HENKLE DRILLING & SUPPLY CO., INC.

IRRIGATION HEADQUARTERS

GARDEN CITY, KANSAS 276-3278

SURRIETTE, KANSAS 675-4211

IRRIGATION
INDUSTRIAL