

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County	Fraction	Section number	Township number	Range number
	Gray	C 1/4 NW 1/4 NE 1/4	14	T 26	S R 29 X/W
2. Distance and direction from nearest town or city: 2-S $\frac{1}{2}$-E of Ingalls, Ks. Street address of well location if in city:			3. Owner of well: R Slawson Drilling Co. Box 1131 Great Bend, Kansas 67530		
4. Locate with "X" in section below: 	Sketch map:		6. Bore hole dia. <u>9 7/8</u> in. Completion date <u>210</u> ft. 6-14-78		
5. Type and color of material	From	To	7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Sandy top soil	0	8	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Clay	8	14	9. Casing: Material pvc Height: Above <u>0</u> in. Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <u>18</u> in. RMP pvc Weight <u>210</u> lbs./ft. Dia <u>4 1/2</u> in. to <u>210</u> ft. depth, Wall Thickness: inches or Dia. <u>4 1/2</u> in. to <u>210</u> ft. depth, gage No. <u>237</u>		
Sand & gravel	14	85	10. Screen: Manufacturer's name CertainTeed		
Good clean gravel	85	115	Type pvc Dia. <u>40</u> Slot/gal xxx 1/16 Length <u>170</u> ft. and <u>210</u> ft. Set between <u>170</u> ft. and <u>210</u> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <u>2 3/4</u> to <u>3/8</u>		
Clay	115	118	11. Static water level: <u>70</u> ft. below land surface Date <u>6-14-78</u>		
Sand	118	130	12. Pumping level below land surfaces: <u>70</u> ft. after <u>1</u> hrs. pumping <u>60</u> g.p.m. <u>70</u> ft. after <u>1</u> hrs. pumping <u>200</u> g.p.m. Estimated maximum yield <u>200</u> g.p.m.		
Clay	130	138	13. Water sample submitted: <u>mo./day/yr.</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date <u>6-14-78</u>		
Sand & gravel	138	145	14. Well head completion: <u>Pitless adapter</u> <u>inches above grade</u>		
Clay	145	148	15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.		
Sand	148	152	16. Nearest source of possible contamination: ft. <u>175</u> Direction NW Type oil well		
Clay	152	175	Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Good sand gravel & Sand	175	208	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <u>134</u> Model number <u>Great Bend, Kansas 67530</u> HP <u>1</u> Volts <u>110</u> Length of drop pipe <u>0</u> ft. capacity <u>0</u> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Hard sand rock	208	210	18. Elevation: <u>1180</u> ft. 1/4 sec 19. Remarks: Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		
(Use a second sheet if needed)			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rosencrantz-Bemis Business name <u>134</u> License No. Address <u>Great Bend, Kansas 67530</u> Signed <u>Sandy Bemis</u> Date <u>6-23-78</u> Authorized representative		