


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL		Fraction SE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$					Section Number 18	Township Number T 26 S	Range Number R 29 E/W			
County: Gray		Distance and direction from nearest town or city? From Ingalls, Ks. 1 mi. South, 3 mi. West, 3 mi. South & $\frac{1}{2}$ mi. West					Street address of well if located within city?					
2 WATER WELL OWNER:		Thunderbird Drilling Co. (Devis #1)					Board of Agriculture, Division of Water Resources Application Number:					
RR#, St. Address, Box #:		Box 861										
City, State, ZIP Code:		Great Bend, Kansas 67530										
3 DEPTH OF COMPLETED WELL:		210 ft. Bore Hole Diameter 8 in. to					ft., and in. to ft.					
Well Water to be used as:		5 Public water supply			8 Air conditioning			11 Injection well				
1 Domestic		6 Oil field water supply			9 Dewatering			12 Other (Specify below)				
2 Irrigation		7 Lawn and garden only			10 Observation well							
Well's static water level:		91 ft. below land surface measured on March					1 day	1981	year			
Pump Test Data		Well water was ft. after hours pumping.					gpm					
Est. Yield		Well water was ft. after hours pumping.					gpm					
4 TYPE OF BLANK CASING USED:		5 Wrought iron			8 Concrete tile			Casing Joints: Glued XXX Clamped				
1 Steel		6 Asbestos-Cement			9 Other (specify below)			Welded				
2 PVC		7 Fiberglass						Threaded				
Blank casing dia		5 in. to 210 ft., Dia					in. to ft., Dia					
Casing height above land surface		12 in., weight 200 psi. jet stress 500 ft. Wall thickness or gauge No. SDR 21										
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC			10 Asbestos-cement							
1 Steel		5 Fiberglass			8 RMP (SR)			11 Other (specify)				
2 Brass		6 Concrete tile			9 ABS			12 None used (open hole)				
Screen or Perforation Openings Are:		5 Gauzed wrapped			8 Saw cut			11 None (open hole)				
1 Continuous slot		6 Wire wrapped			9 Drilled holes							
2 Louvered shutter		7 Torch cut			10 Other (specify)							
Screen-Perforation Dia		1/8 in. to 20 ft., Dia					in. to ft., Dia					
Screen-Perforated Intervals:		From 140 ft. to 160 ft., From 220 ft. to 240 ft.					ft. to ft. to ft.					
Gravel Pack Intervals:		From 10 ft. to 240 ft., From					ft. to ft. to ft.					
5 GROUT MATERIAL:		1 Neat cement		2 Cement grout		3 Bentonite	4 Other					
Grouted Intervals:		From 0 ft. to 10 ft.		From		ft. to	ft. From					
What is the nearest source of possible contamination:		none					10 Fuel storage			14 Abandoned water well		
1 Septic tank		4 Cess pool		7 Sewage lagoon		11 Fertilizer storage			15 Oil well/Gas well			
2 Sewer lines		5 Seepage pit		8 Feed yard		12 Insecticide storage			16 Other (specify below)			
3 Lateral lines		6 Pit privy		9 Livestock pens		13 Watertight sewer lines						
Direction from well		How many feet					? Water Well Disinfected? Yes XXX No					
Was a chemical/bacteriological sample submitted to Department?		Yes					No XXXX			If yes, date sample		
was submitted		month					year: Pump Installed? Yes			No XXXX		
If Yes: Pump Manufacturer's name		Model No.					HP			Volts		
Depth of Pump Intake		ft. Pumps Capacity rated at					gal/min.					
Type of pump:		1 Submersible	2 Turbine	3 Jet	4 Centrifugal	5 Reciprocating	6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:		This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on March month 4 day 1981 year										
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179												
This Water Well Record was completed on April month 21 day 1981 year under the business name of Joe's Well Service, Inc. Cimarron, Ks. by (signature) <i>Larry J. Creek</i>												
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG			FROM	TO	LITHOLOGIC LOG			
		0	15	Top soil & fine sand			195	210	Clay & fine sand			
		25	45	Fine sand			20	225	Fine to medium sand			
		45	60	Fine sand & clay			225	240	Medium to coarse sand & Clay (3ft.)			
		60	75	Clay & medium sand								
		75	90	Medium sand								
		90	105	Medium to coarse sand								
		105	120	Medium to coarse sand & clay								
		120	135	Clay & medium sand								
		135	150	Medium to coarse sand								
		150	165	Coarse sand & clay (8ft.)								
ELEVATION:		165	195	Clay								
Depth(s) Groundwater Encountered		1	2	3	4	ft.	(Use a second sheet if needed)					
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.												