KOLAR Document ID: 1361496

WATER V ☐ Original R		Division of Wate Resources App. N				 Well II	_ [
Original Record Correction Change 1 LOCATION OF WATER WELL:				Fraction			Section Number			Township Numb		Range Number		
County:				1/4	1/4 1/2	1/4				1			□ E □ W	
2 WELL OWNER: Last Name: First: S							treet or Rural Address where well is located (if unknown, distance and							
							irection from nearest town or intersection): If at owner's address, check here:							
Address: Address:														
City: State: ZIP:														
3 LOCATE WELL														
WITH "X"					D WELL:		ft.							
SECTION BOX: Depth(s) Groundwater Encountered: 1)							201510 (decimal degrees)							
N	2) ft. 3) ft., or 4) \(\begin{align*} WELL'S STATIC WATER LEVEL:													
k		below land surface, measured on (mo-day-yr								unit make/model:			,	
NW	NE	above land surface, measured on (mo-day-yr								WAAS enabled?				
	1	Pump test data: Well water was ft.					☐ Land Survey ☐ Topographic Map				,			
w	E	after hours pumpinggr							nline	e Mapper:		••••		
SW	- SE	Well water was ft. after hours pumping gr												
	1	Estimated Yield:gpm					6 Elevation:ft.				. 🔲 Grou	and I	Level 🔲 TOC	
S		Bore Hole Diameter: in. to					G				☐ GPS ☐ Topographic Map			
1 mile	e		in. to											
7 WELL WATER TO BE USED AS:														
1. Domestic: 5. Public Water Supply: well ID														
☐ Household 6. ☐ Dewatering: h										le: well ID				
☐ Lawn & Garden 7. ☐ Aquifer Ro ☐ Livestock 8. ☐ Monitoring				_						☐ Uncased ☐ Gal: how many bores				
☐ Livestock 2. ☐ Irrigation					ation: well II				Loop Horizont					
3. ☐ Feedlot			Air Sparge		Soil Vapor				Loop Surface Di					
4. Industrial	Injection		13. Other (specify):											
Was a chemic	cal/bacteri	ological san	nple subm	itted to	KDHE? □	Yes 🔲	No	If yes, date	e sar	nple was submitte	d:			
Water well dis					_	_		•		1				
8 TYPE OF	CASING	U SED: □ S	teel PV	C 🔲 Oth	er	CA	ASIN	G JOINTS	S: 🗆	Glued Clamped	d □ Wel	ded	☐ Threaded	
										in. to				
Casing height a					ght	lbs.	/ft.	Wall thick	kness	s or gauge No				
TYPE OF SC										g (c)				
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	□ PVC	ısed (open	hala)		ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••	
SCREEN OR					☐ None (iseu (open	noie)							
☐ Continuo		☐ Mill Slot		auze Wrap	pped \square To	orch Cut	□ Dri	illed Holes	П	Other (Specify)				
☐ Louvered		☐ Key Punch						ne (Open H						
SCREEN-PEI	RFORATE	D INTERVA	ALS: From	1	. ft. to	ft., Fro	om	ft. to	o	ft., From	ft.	to.	ft.	
GRA	AVEL PAC	K INTERV	ALS: Fron	1	. ft. to	ft., Fr	om	ft. t	o	ft., From	ft.	to.	ft.	
				•	-							••••		
Nearest source				It., From	1	It. to		It., From	••••	ft. to	It.			
Septic Tai			Lateral Line	s F	☐ Pit Privy		ПΙ	ivestock Pe	ens	☐ Insection	cide Stora	ıoe.		
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well														
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well														
☐ Other (Specify) Direction from well? ft.														
		FROM TO LITHO. LOG (cont.) or PLUGGING INTERV						INTEDMALC						
10 FROM	TO		ITHOLOG	JIC LUG	•	FROI	VI	10	LH	HO. LOG (cont.) of	PLUGG	ING	INTERVALS	
													-	
					-									
						<u> </u>								
						Notes	:							
11 CONTRA	ACTOR'S	OR LANDO)WNER'S	CERTI	FICATION	V: This v	vater	well was F	700	onstructed, \square reco	nstructe	<u>d o</u>	r 🗌 plugged	
under my juris	sdiction an	d was compl	eted on (m	no-day-ye	ear)		and th	nis record	is trı	ue to the best of m	y knowle	edge	e and belief.	
Kansas Water	· Well Cont	ractor's Lice	ense No		This Wa	ater Well	Reco	rd was coi	mple	eted on (mo-day-y	ear)			
under the busi	iness name	of	****	TT 1 0	TD :			1 5 2		or each <u>constructed</u> we		<u></u>		
KS Denartmen	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	ER and retain	one for you 000 SW Jac	r record	as. Fee of \$5 t Suite 420	0.00 f Tope	for each <u>constructed</u> we eka, Kansas 66612-136	eil. 57. Telenh	one î	785-296-3565	
_		s.gov/waterwel		, 5001				, 120,	- ~PC	,			A 82a-1212	