WATE	R WEI	LL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. No	). L	
		OF WATER WELL:	Fraction					Range Number	
County: Sedawick		1/4 1/4	1/4 NW 1/		22	T 26 S	R 3 □E ØW		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here									
26191 W. 53rd St. N.						Longitude: (in decimal degrees) Elevation:			
Andale, KS 67001						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Comfort Homes						Collection Method:			
RR#, Street Address, Box #: 4313 N. 119th St. W.						GPS unit (Make/Model:)			
City	, State, Z	ZIP Code : Maize, I	KS 67101		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
<u>Est. Accuracy</u> :									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.									
	SECTION BOX: Depth(s) Groundwater Encountered (1).40								
	N WELL'S STATIC WATER LEVEL. 40ft. below land surface measured on mo/day/yr								
		Pump	test data: Well wate	r was	f	t. after	hours pump	oing gpm	
EST. YIELD.12gpm. Well water wasft. after hours pumpinggg								ping gpm	
W									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
S If yes, mo/day/yr sample was submitted									
water well disinfected?									
5 TYPE OF CASING USED: Steel Pyc Other									
Casing diameter .5									
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Continuous stot   Min stot   Gauze wrapped   Torch cut   Drined notes   Note (open note)     Louvered shutter   Key punched   Wire wrapped   Saw cut   Other (specify)									
SCREEN-PERFORATED INTERVALS: From40 ft. to80 ft., From ft. to ft.									
From ft. to ft., From ft. to							o ft.		
GRAVEL PACK INTERVALS: From 20						ft., From	, ft. t	o ft.	
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
Grout Intervals: From 3									
What is the hearest source of possible containfination:   Septic tank									
	Sewer lin	nes	Sewage lagoon	rage lagoon    Fuel storage    Abandoned water well				( ) /	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
		m well .no						CONTRACTOR OF THE PARTY OF THE	
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LC	OG (cont.) or PLU	GGING INTERVALS	
3	3 20	Topsoil							
30	80	Clav Shale				<del> </del>			
30	100	Silale				<b></b>			
<del> </del>						<del> </del>			
<u> </u>									
								HE TO	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .08/30/20.14 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) 9/2/2014									
under the business name of									
INSTRUC									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdbcks.gov/waterwell/index.html									