KOLAR Document ID: 1520011

	WELL R			WWC-5		vision of Wat ources App.			Well ID		
	Original Record Correction Change in Well Use I LOCATION OF WATER WELL: Fraction						on Number Township Number Range Number				
County: 1/4 1/4 1/4							T S R DEDW				
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		reet or Rural Address where well is located (if unknown, distance and ection from nearest town or intersection): If at owner's address, check here:					
	3 LOCATE WELL										
WITH "	WITH "X" IN Depth(s) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	ECTION BOX: N 2) ft. 3) ft., or 4) \Box										
	WELL'S STATIC WATER LEVEL:					Sour	ce for	Latitude/Longitude:			
				-yr) -yr)			unit make/model:				
NW	NE	Pump test da				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			0)		
w X	E	after	hours				Mapper:				
SW	SE	after	Well v								
		Estimated Y		Spin		6 Elevation:ft. Ground Level TOC					
	S	Bore Hole D			Sour	Source: Land Survey GPS Topographic Map Other					
1 n		DE LISED		in. to	ft.			Ouller			
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
House	☐ Household 6. ☐ Dewatering: how many wells?					11. Test	11. Test Hole: well ID				
	Lawn & Garden 7. Aquifer Recharge: well ID										
	□ Livestock 8. □ Monitoring: well ID 2. □ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical				
	3. □ Feedlot □ Air Sparge □ Soil Vapor Ex						b) Open Loop \square Surface Discharge \square Inj. of Water				
4. Industrial Recovery Injection						13. 🗖 C	13. 🗌 Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
Steel Stainless Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
			Lateral Line			Livestock P	Pens	☐ Insectic	ide Storage		
Sewer I			Cess Pool		goon	Fuel Storag			oned Water	Well	
				☐ Feedyard		Fertilizer St	torage	∐ Oil We	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:		1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Water Well Contractor's License No											
under the b	usiness name	of	WATED	FIL OWNED and rates	one for your rea	ords Eas of ¢		r each constructed	 11	<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at h	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										