

USE TYPEWRITER OR BALL
POINT PEN—PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County GRAY	Fraction S 1/2 NE 1/4	Section number 35	Township number T 26 S	Range number R 30 W
2. Distance and direction from nearest town or city: Charleston, 1/4 West Street address of well location if in city:				3. Owner of well: Henry Schmidt R.R. or street: City, state, zip code: Montezuma, Kansas 67867		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 9-25-75 Well depth 252 ft.		
				7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
5. Type and color of material		From		To		9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 253 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. <input type="checkbox"/>
						10. Screen: Manufacturer's name Johnson Division Type Galvanized Dia. 16" Slot/gauze <input type="checkbox"/> Length 20' Set between 200 ft. and 220 ft. Perf: 80-200 ft. and 220-252 ft. Gravel pack? Yes Size range of material 2" down
						11. Static water level: <input type="checkbox"/> mo./day/yr. 76 ft. below land surface Date 9-8-75
						12. Pumping level below land surfaces: 89 ft. after 2 hrs. pumping 744 g.p.m. 111 ft. after 4 hrs. pumping 1245 g.p.m. Estimated maximum yield 1245 g.p.m.
						13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date <input type="checkbox"/>
						14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade
						15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
						16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type N/A Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
						17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Peerless - FMC Model number 05286 HP 100 Volts <input type="checkbox"/> Length of drop pipe 160 ft. capacity 1245 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		USED CASING		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter-Wilson Drilling 208 Business name Box A, Garden City, KS License No. <input type="checkbox"/> Address Box A, Garden City, KS Signed [Signature] Date 4/15/76 Authorized representative		

26 300 35 5/2 4/15 NE
 T R Sec 1/4 1/4 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

The Professionals

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269

P.O. Box 493

GARDEN CITY, KANSAS 67846

Henry Schmidt

NE 35-26-30

9-6-74

0	20	Top soil & fine sand
20	48	Clay
48	110	Fine med sand & coarse gravel (loose)
110	132	Fine med sand & gravel 20% Clay
132	148	Fine med sand & gravel (loose)
148	170	Sandy clay
170	192	Fine med sand w/white rock 10% clay
192	226	Fine med sand & gravel (loose)
226	240	Sandy clay
240	252	Fine med sand & gravel (loose)
252	296	Sandy clay
296	300	Shale

TD 252'