WATE	R WEL	L RECORD	Form W	WC-5	Di	Division of Water Resources App. No.				
1 LOCATION OF WATER WELL:			Fraction			Section Number Township No. Range Number				
County: Gray			1/4 NE 1/4 NE 1/4 NE 1/4			25 T 26 S R 30 □E XW				
Street	t/Rural A	ddress of Well Location; i		al Positioning	System (GPS) is	nformation:				
	from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees)			
Free	From Charleston, 7/2 mile South on 6Rd.						Longitude: (in decimal degrees)			
					Eleva	Elevation:				
2 WAT	TED WE	III OWNED.	Chi will				4, 🔲 NAD 83, 🗀	] NAD 27		
2 WATER WELL OWNER: Della Stanid+ RR#, Street Address, Box #: 300 S. Aztec St.						Collection Method:   GPS unit (Make/Model:)				
						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Oity,	otato, B	Monte	Zuma, Ks. 486		Est. A	Accuracy:	3 m, 3-5 m,	] 5-15 m, □ >15 m		
A LOCATED WITH										
WITH	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 75.									
SECT	TION BO									
	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr									
	Pump test data: Well water wasft. after hours pumping gpm									
EST. YIELDgpm. Well water wasft. after							hours pun	nping gpm		
EST. YIELDgpm. Well water wasft. afterhours pumpingft.							.ft.			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well										
Was a chemical/bacteriological sample submitted to Department? Yes No										
S If yes, mo/day/yr sample was submitted Water well disinfected? 🔁 Yes 🗌 No										
water well districted: [2] Tes [10]										
5 TYPE OF CASING USED: Steel Steel Other										
CASING JOINTS: X Glued Clamped Welded Threaded										
Casing diameter										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Other (Specify)										
Brass Galvanized Steel None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout In	tervals:	From		1	ft. to	ft.,	From	ft. toft.		
What is the nearest source of possible contamination:										
	Septic tar	_		Livestock		Insecticide	storage	her (specify below)		
	Sewer lin		Sewage lagoon	Fuel stora		Abandone				
		nt sewer lines		Fertilizer		Oil well/ga ell				
FROM	TO	LITHOLOG		FROM	TO TO			JGGING INTERVALS		
			IC LOG	TROW	10	LITO. L	OG (com.) of PL	DOUBLO INTERVALS		
0	184	Tan day	6 . 1							
40		Course to med.	sand							
184	194	Tan clay								
194	210	Med-Sand	- /							
120	270	Fine to med. Sa	nd							
270	275	Tancky			<del></del> -	1				
			PTT White American			<del> </del>				
T CONTRACTORIS OR LANDOWNERS CERTIFICATION. This was well use T and the Transfer of The Contract of The Contra										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year)										
under my jurisdiction and was completed on (mo/day/year)										
Kansas Water Well Contractor's License No										
under th	CTIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRM	Y and PRINT	learly Pl	ease fill in blank	s and eleck the colo	Send three copies		
(white bl	ue. nink) t	o Kansas Department of Health	and Environment, Bureau	of Water, Geo	logy Secti	ion, 1000 SW Ja	ickson St., Suite 420,	Topeka, Kansas 66612-1367.		
Telephone	e 785-296-	5524. Send one copy to WAT	ER WELL OWNER and	retain one for	your reco	ords. Include fe	e of \$5.00 for each	constructed well. Visit us at		
http://www	w.kdheks.g	ov/waterwell/index.html.								
KSA 82a-1212										