

WATER WELL REC		// // C-3	1732		ion of Water		W 11 ID		
		e in Well Use			rces App. No.		Well ID	N. 1	
		Fraction	1/	Secti	on Number	Township Numb		ge Number	
County:		/4 1/4	. D	1 4 1 1	T S	R	□ E □ W		
				et or Rural Address where well is located (if unknown, distance and					
Address:	direction from nearest town or intersection): If at owner's address, check here:								
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	DEPTH OF COM	IPI ETED WEI I •		ft	5 Lotitud	e:		(daaimal daamaaa)	
WITH "A" IN	Depth(s) Groundwater I								
SECTION BOA:		3) ft., or 4)							
N V	VELL'S STATIC WAT								
	below land surface,					GPS (unit make/model:)			
NWNE	 above land surface, 	measured on (mo-day	y-yr)		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
	ump test data: Well w								
E E		pumping			Online Mapper:				
SW SE		ater was							
1 1 . 1 . 1 1	Estimated Yield:	s pumping	gpm	m 6 Elevation:ft. ☐ Ground Level ☐ TOC					
	Bore Hole Diameter:		ft. and						
1 mile		in. to		D 041					
7 WELL WATER TO BI					1				
1. Domestic:		ter Supply: well ID			10. □ Oil F	ield Water Supply: 1	ease		
☐ Household		g: how many wells?				le: well ID			
☐ Lawn & Garden	7. Aquifer Re	echarge: well ID				d Uncased			
☐ Livestock		g: well ID				mal: how many bore			
2. Irrigation		al Remediation: well				ed Loop Horizon			
3. Feedlot	☐ Air Sparge		Extraction	ion b) Open Loop ☐ Surface Discharge ☐ Inj. of Water 13. ☐ Other (specify):					
4. Industrial	☐ Recovery	☐ Injection							
Was a chemical/bacteriole		itted to KDHE? \Box	Yes	No]	If yes, date s	ample was submitte	ed:		
Water well disinfected?									
8 TYPE OF CASING US								I ☐ Threaded	
Casing diameter									
Casing height above land surfa			lbs	s./ft.	Wall thickne	ss or gauge No	•••••		
TYPE OF SCREEN OR PE					Пол	(C :C)			
☐ Steel ☐ Stainless ☐ Brass ☐ Galvaniz			used (emen	, hala)		(Specify)	•••••		
☐ Brass ☐ Galvaniz			used (oper	i noie)					
			Forch Cut	□ Dri	lled Holes - F	Other (Specify)			
Louvered Shutter					ne (Open Hole				
SCREEN-PERFORATED	INTERVALS: From	n ft. to	ft., Fr	om	ft. to	ft., From	ft. to	ft.	
SCREEN-PERFORATED INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other									
Grout Intervals: From									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)									
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		GINTERVALS	
10 11(0)(1	EITHOLOG	JIC ECC	TRO	.,,	10 2	THO. LOG (cont.) o	I Le Gon (SHYPERYPES	
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)									
under my jurisdiction and v	vas completed on (m	no-day-year)		and th	is record is t	rue to the best of m	y knowledg	ge and belief.	
Kansas Water Well Contrac	ctor's License No	This W	ater Well	Reco	rd was comp	leted on (mo-day-y	ear)	•••••	
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	I Eugene & R John Nally	
Doc ID	1321752	

Litholgy

From	То	LithologicLog
0	2	top soil
2	34	sandy brown clay
34	54	fine sand
54	70	brown clay, gypsum w/ few fine sand streaks
70	102	coarse sand small to med gravel
102	132	med to coarse sand small to med gravel
132	176	brown clay w/ gypsum streaks
176	182	coarse sand small gravel
182	185	coarse sand small gravel w/ brown clay streaks
185	198	coarse sand some small gravel
198	206	brown sandy clay, few coarse sand streaks
206	214	brown clay few small very fine sand streaks
214	217	brown clay
217	223	very fine to fine sand brown clay mix
223	242	brown clay
242	248	very fine to fine sand brown clay
248	256	very fine to fine sand few very small brown clay

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	I Eugene & R John Nally	
Doc ID	1321752	

Litholgy

From	То	LithologicLog
256	262	coarse sand small gravel w/ brown gravel
262	266	brown clay
266	268	med to coarse sand small gravel
268	274	brown clay w/ med to coarse sand
274	314	coarse sand small gravel w/ brown rock