

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: <u>Gray</u>	Fraction <u>¼ NE ¼ SE ¼ NW ¼</u>	Section Number <u>6</u>	Township No. <u>T 26 S</u>	Range Number <u>R 30</u> <input type="checkbox"/> E <input checked="" type="checkbox"/> W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here <input checked="" type="checkbox"/> .		Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: <input type="checkbox"/> WGS 84, <input type="checkbox"/> NAD 83, <input type="checkbox"/> NAD 27 Collection Method: <input type="checkbox"/> GPS unit (Make/Model:) <input type="checkbox"/> Digital Map/Photo, <input type="checkbox"/> Topographic Map, <input type="checkbox"/> Land Survey Est. Accuracy: <input type="checkbox"/> <3 m, <input type="checkbox"/> 3-5 m, <input type="checkbox"/> 5-15 m, <input type="checkbox"/> >15 m		
2 WATER WELL OWNER: RR#, Street Address, Box #: <u>Judy Wartman 3506 K Rd.</u> City, State, ZIP Code : <u>Incolls. KS 67853</u>				

<p>3 LOCATE WELL WITH AN "X" IN SECTION BOX:</p> <p style="text-align: center;">N</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 5px;">NW</td> <td style="border: 1px solid black; padding: 5px;">NE</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px;">SW</td> <td style="border: 1px solid black; padding: 5px;">SE</td> </tr> </table> <p style="text-align: center;">S</p> <p style="text-align: center;">-----1 mile-----</p>	NW	NE	SW	SE	<p>4 DEPTH OF COMPLETED WELL <u>210</u> ft.</p> <p>Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft.</p> <p>WELL'S STATIC WATER LEVEL <u>85</u>ft. below land surface measured on mo/day/yr.....</p> <p>Pump test data: Well water was <u>190</u>ft. after <u>4</u> hours pumping. <u>35</u> gpm</p> <p>EST. YIELD <u>35</u>gpm. Well water wasft. after hours pumping..... gpm</p> <p>Bore Hole Diameter <u>10</u>in. to <u>210</u>ft., andin. toft.</p> <p>WELL WATER TO BE USED AS: <input type="checkbox"/> Public water supply <input type="checkbox"/> Geothermal <input type="checkbox"/> Injection well <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> Other (Specify below) <input type="checkbox"/> Irrigation <input type="checkbox"/> Industrial <input type="checkbox"/> Domestic-lawn & garden <input type="checkbox"/> Monitoring well</p> <p>Was a chemical/bacteriological sample submitted to Department? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>If yes, mo/day/yr sample was submitted.....</p> <p>Water well disinfected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>
NW	NE				
SW	SE				

5 TYPE OF CASING USED: Steel PVC Other

CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter 5 in. to 150 ft., Diameter in. to ft., Diameter in. to ft.

Casing height above land surface 18 in., Weight 200lbs./ft., Wall thickness or gauge No. SDR21.....

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)
 Louvered shutter Key punched Wire wrapped Saw cut Other (specify)

SCREEN-PERFORATED INTERVALS: From 150 ft. to 210 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 47 ft. to 210 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From 5 ft. to 47 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)
 Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well

Direction from well East Distance from well 450'.....

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	2	Top Soil	94	101	Brown Clay
2	5	Sandy Brown Clay	101	105	Medium to Coarse Sand
5	24	Coarse Sand Small to Large Gravel	105	140	Brown Clay, Few Small Sand Streaks
24	26	Brown Clay	140	148	Medium to Coarse Sand Small Gravel
26	37	Coarse Sand Small to Medium Gravel	148	154	Brown Clay
37	47	Brown Clay	154	169	Medium to Coarse Sand Few Brown
47	53	Medium To Coarse Sand			Clay Streaks
53	63	Brown Clay	169	185	Brown Clay Medium Sand Mix 50/50
63	94	Medium to Coarse Sand Few Cemented	185	208	Brown Clay, Few Small Fine Sand Str
		Sand Streaks	208	210	Yellow Soap Stone

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 11-11-16..... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 532..... This Water Well Record was completed on (mo/day/year) 11-15-16..... under the business name of Midwest Well & Pump Inc...... by (signature) [Signature].....

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>.