

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Finney

Location listed as:

Location changed to:

Section-Township-Range: None Given

10-265-31 W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NW

NW NE NW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Written description, well owner's address,
area road map, and mapping tool & aerial photos on
KGS website. initials: DRL date: 7/24/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction $\frac{1}{4}$ $\frac{1}{4}$ NW $\frac{1}{4}$		Section Number		Township Number		Range Number	
County: Finney						T S		R E/W	
Distance and direction from nearest town or city street address of well if located within city? 6 m. S Purcinnell Rd. 1 1/2 W on Plymouth Rd. South Side									
2 WATER WELL OWNER: Ron Mott									
RR#, St. Address, Box # : 9350 E. Plymouth Rd. 68						Board of Agriculture, Division of Water Resource			
City, State, ZIP Code: Purcinnell, Kan 67868						Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 25.6 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 17.9 ft. below land surface measured on mo/day/yr 7-19-09							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 10 in. to 2.60 ft. and in. to ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
<input checked="" type="radio"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped									
<input checked="" type="radio"/> PVC 4 ABS 7 Fiberglass Welded									
Blank casing diameter 5 in. to 23.6 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface 18 in. weight 300 lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: <input checked="" type="radio"/> PVC 10 Asbestos-cement									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot <input checked="" type="radio"/> 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 23.6 ft. to 25.6 ft. From ft. to ft.									
From 2.10 ft. to 3.16 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 30 ft. to 200 ft. From ft. to ft.									
From 22.0 ft. to 25.6 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 4 ft. to 30 ft. From ft. to ft. From 1.80 ft. to 200 ft.									
What is the nearest source of possible contamination:									
<input checked="" type="radio"/> Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? NORTH How many feet? 100									
FROM TO		LITHOLOGIC LOG		FROM TO		PLUGGING INTERVALS			
0	8	Fine Sand		187	210	Brown clay			
8	42	Brown Sandy clay							
42	97	Thin to med Sand & gravel		210	217	Thin to med Sand			
97	105	Hard Rock		217	249	Brown Clay			
105	110	Brown Sandy clay							
110	119	Thin to med Sand & gravel		249	255	Thin to med Sand & gravel			
119	132	Brown Sandy clay							
132	140	Fine to med Sand & gravel		255	260	Blue Shale			
140	151	Brown clay							
151	154	Thin to med Sand & gravel							
154	160	Hard Rock							
160	165	Thin to med Sand & gravel							
165	185	Brown clay							
185	187	Thin to med Sand							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> constructed, <input type="radio"/> reconstructed, or <input type="radio"/> plugged under my jurisdiction and was completed on (mo/day/year) 7-19-09 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 172 This Water Well Record was completed on (mo/day/yr) 6-1-10									
under the business name of Tanagan Water Well Services by (signature) mof									