WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No	21,193					
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number					
	14 SW 14 SW 14 SE 14	18	T 26 S	R 31 □E 🗹 W					
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here			Global Positioning System (GPS) information: Latitude:					
GARDEN CITY-10 M S ON HWY 83 TO PLYMELL ROAD, 7 M E,		Longitude: (in decimal degrees)							
2 M S, 315 FT, NORTH & 2,175 FT WEST		Elevation:							
2 WATER WELL OWNER: CHARLES G. SALMANS		Datum: WGS 84, NAD 83, NAD 27 Collection Method:							
RR#, Street Address, Box #: 6 RED ROSE CIRCLE		GPS unit (Make/Model:)							
City, State, ZIP Code DARIEN, CT 06820-4928		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m							
3 LOCATE WELL		Est. Accuracy:	3 m, <u></u> 3-5 m, <u></u>	5-15 m, ∐ >15 m					
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 420	ft.							
SECTION BOX: Depth(s) Ground	SECTION BOX: Depth(s) Groundwater Encountered (1)								
N WELL'S STAT	WELL SSTATIC WATER DEVEL								
Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 30 in. to 420 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
					swse Domestic Feedlot Oil field water supply Dewatering Other (Specify below)				
					✓ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well				
s If yes, mo/day/yr sample was submitted									
water well disinfected? ☐ Yes ✓ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter16 in. to245	ft., Diameter in.	o ft., D	iameter	. in. to ft.					
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Other (Specify) □ Other (Specify) .									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
SCREEN-PERFORATED INTERVALS: From 245 ft. to 420 ft., From ft. to ft.									
From									
	From. 20 ft. to 170								
6 GROUT MATERIAL: Neat ceme	From ft. to	ft., From	ft. 1	to ft.					
Grout Intervals: From ft. to	20 ft., From 170	to 230 ft	From	ft to ft					
What is the nearest source of possible conta	amination:		110111	. 10. 60					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well N/A									
Direction from well		from well		• • • • • • • • • • • • • • • • • • • •					
FROM TO LITHOLOG				GGING INTERVALS					
SEE ATTACHED LOG									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .12-20-10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 12-21-10									
under the business name of .MINTER-WILSON DRILLING CO., INC by (signature) Abra Keller INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau of Water, Geolo	gy Section, 1000 SW Ja	ckson St., Suite 420,	Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									

The Professionals MINTER-WILSON DRILLING CO. Water Systems Complete Installation and Repairing

Irrigation and Repairing

INCORPORATED

P.O. Box A • **GARDEN CITY, KANSAS 67846** Phone 620-276-8269

NAME

CHARLES SALMANS

TENANT

DICK STRANDMARK

COUNTY

FINNEY

DATE

4-29-10

LOCATION:

SE 1/4 18-26-31 - SOUTH ON HWY. 83 TO PLYMELL ROAD,

7 MILES EAST, 2 MILES SOUTH, 1/4 MILE WEST & 1/4 MILE NORTH - SOUTHWEST EDGE OF CIRCLE

STATIC WATER LEVEL - 200 FT.

TEST #4

0' TO 1' - TOP SOIL

1' TO 9' - BROWN CLAY

9' TO 19' - BROWN SANDY CLAY

19' TO 40' - FINE SAND

40' TO 58' - BROWN CLAY

58' TO 103' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

103' TO 132' - BROWN CLAY

132' TO 168' - FINE TO MEDIUM SAND & GRAVEL

168' TO 172' - BROWN CLAY

172' TO 198' - FINE TO MEDIUM SAND & GRAVEL

198' TO 205' - CEMENTED WHITE ROCK - HARD PULL DOWN

205' TO 217' - FINE TO MEDIUM SAND & GRAVEL

217' TO 231' - BROWN CLAY

231' TO 240' - BROWN CLAY WITH GRAVEL STREAKS

240' TO 258' - FINE TO MEDIUM SAND & GRAVEL

258' TO 288' - BROWN SANDY CLAY

288' TO 300' - FINE TO MEDIUM SAND

300' TO 310' - BROWN CLAY

310' TO 318' - BROWN CLAY - SMALL SAND STREAKS

318' TO 358' - BROWN SANDY CLAY

358' TO 365' - FINE TO MEDIUM SAND

365' TO 390' - BROWN CLAY

390' TO 410' - FINE TO MEDIUM SAND & GRAVEL

- SOME BROWN ROCK - 10% CLAY

410' TO 418' - BROWN YELLOW CLAY - HARD PULL DOWN

418' TO 430' - SHALE - HARD PULL DOWN