KOLAR Document ID: 1603238

WATER Original		ECORD Correction		WWC-5 e in Well Use				on of Wate] Well	m [
1 LOCAT				Fraction				on Numbe		Township Numb			ge Number
County:		TIER WE		1/4 1/4	1/4		Jeeno	, ii i vaiiio		T S	R		□E □W
						Street or 1	et or Rural Address where well is located (if unknown, distance and						
Business:						direction fro	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	E WELL												
WITH "X				IPLETED W			. ft.						
SECTION	SECTION BOX: Depth(s) Groundwater Encountered: 1)					201520000							
N												AD 27	
WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr)										,			
NW	NE			measured on (
	i l	_		ater was			☐ Land Survey ☐ Topographic Map			• ,			
w	E	after		s pumping									
s X	SE	ofter		vater was			-						
	1	Estimated Y			inggpm			6 Elevation:ft. ☐ Ground Level ☐ TOC					
S				sp in. to		ft. and		Source: Land Survey GPS Topogra			pographic Map		
1 m	ile			in. to						Other	· • • • • • • • • • • • • • • • • • • •		
7 WELL W	VATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: we						eld Water Supply: 16			
Househo				g: how many v									
Lawn &				echarge: well I						Uncased (
☐ Livestoo				g: well ID						al: how many bores			
3. ☐ Feedlot			Air Sparge		mediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industri			Recovery	☐ Inje	_					(specify):			
Was a chem	nical/bacteri	iological san	nple subm	itted to KDH	E ? □	Yes □ N	o If	f yes, date	e sar	nple was submitte	d:		
Water well o						_		3 /		1			
8 TYPE OI	F CASING	USED: □ S	teel PV	C 🗌 Other		CA	SING	JOINTS	S: 🗆	Glued Clamped	d □ We	lded	☐ Threaded
										in. to			
Casing height						lbs./i	ft.	Wall thick	kness	s or gauge No		•••	
TYPE OF S			TION MA		l Drie					g			
☐ Steel ☐ Brass		less Steel anized Steel			PVC	ısed (open l	1 .)	∐ Oth	ner (Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • • •	•••••
SCREEN O	_		NINGS AI] None t	iseu (open i	1016)						
☐ Continu		☐ Mill Slot		auze Wrapped	Пто	orch Cut	7 Drill	led Holes	П	Other (Specify)			
Louver		☐ Key Punch						e (Open H					
SCREEN-PI	ERFORATE	D INTERVA	ALS: From	1 ft. to		ft., Fro	m	ft. to	o	ft., From	ft	i. to .	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft. to													
									••••	ft. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well													
Other (Specify)													
Direction from well? Distance from well? ft.							S DIEEDII I G						
10 FROM	TO		THOLOG	FIC LOG		FROM		TO	LH	HO. LOG (cont.) of	PLUGC	JINC	INTERVALS
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	er Well Con	tractor's Lice	ense No	1	Γhis Wa	ater Well F	Record	d was cor	mple	eted on (mo-day-y	ear)		
under the bu	isiness name	of	****				· · · · · · · ·			or each constructed we		<u></u>	
KS Departme	S ent of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER an Vater, Geology Se	nd retain ection 10	one for your: 000 SW Jacks	records son St	s. Fee of \$5 . Suite 420	1 00.c Tone	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	ell. 57. Telen	hone	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	GERALD W LIGHTNER
Doc ID	1603238

Lithology

From	То	LithologicLog
0	1	TOPSOIL
1	33	SILTY CLAY
33	66	F/M GRAVEL
66	83	F/M GRAVEL AND SOME C. GRAVEL
83	107	C SAND, FINE GRAVEL, MED GRAVEL
107	134	SILTY CLAY
134	146	SILTY CLAY & TR MED SAND
146	166	SILTY CLAY & M/C SAND
166	178	SILTY CLAY & CLAY
178	224	C SAND & F/ GRAVEL
224	239	C SAND, F/M GRAVEL & THIN SILTY CLAY
239	267	M/C SAND & F/M GRAVEL
267	296	C SAND, F GRAVEL, SANDY CLAY
296	309	SILTY CLAY
309	318	M/C SAND, F/M GRAVEL, TR SANDY CLAY
318	355	M/C SAND, F/M GRAVEL
355	400	SILTY SANDY CLAY
400	441	F/M SAND
441	455	OCHRE CLAY & SHALE
455	476	F/M SAND

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	GERALD W LIGHTNER
Doc ID	1603238

Lithology

From	То	LithologicLog
476	553	MED SAND
553	567	SHALE