WATER WELL RECORD	Form WWC-		Division of Water	r Resources; App. No.	21,660	
1 LOCATION OF WATER WELL: County: Finney	Fraction Near C	enter SE ¼	Section Number 31	Township Number T 26 S	Range Number R 32 HW	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)						
located within city? Approx 15 miles S. of Garden City on Latitude:						
Hwy. 83 to the county line, 1 mile E., 1,210 ft. N. Longitude: 2 WATER WELL OWNER: & 1,310 ft. W. Flevation:						
2 WATER WELL OWNER: RR#, St. Address, Box # : Edna Collin	e 1,310 IC. newood Trust	W	Elevation:			
City State 7IP Code · PO Box 1184	}		Datum:			
Hutchinson, KS 67504 Data Conection Method.						
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL						
WITH AN "X" IN Depth(s) Groundwater Encountered (1)						
SECTION BOX: WELL'S STATIC WA	SECTION BOX: WELL'S STATIC WATER LEVEL258ft. below land surface measured on mo/day/yr9-23-08.					
N Pump test data	Pump test data: Well water wasft. after hours pumping gpm					
Est. Yieldgpm: Well water wasft. after hours pumping gpm						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
W Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No .X; If yes, mo/day/yrs						
Sample was submitted						
s						
5 TYPE OF CASING USED: 5 Wrought	Iron 8 Conc	rete tile	CASIN	G JOINTS: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-	Cement 9 Other	(specify	below)	Welded	.xx	
2 PVC 4 ABS 7 Fiberglass Threaded						
Blank casing diameter 16 in to 285 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 12 in., Weight 42.05 lbs./ft. Wall thickness or guage No 250						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)						
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3Mill slot 5Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 0 ft. to 20 ft., From 200 ft. to 260 ft., From ft. to ft.						
What is the nearest source of possible contaminat		10 T :	1	: -: 1- Ct	16 Other (
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool	± •			secticide Storage bandoned water well	16 Other (specify below)	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage (14) Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well						
Direction from well? NE			•	N. & 15 ft. E.		
FROM TO LITHOLOGIC		FROM		PLUGGING INT		
See attached log	<u>g</u>					
		-				
	•				-/3	
		 		.,,,,,		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year) 9-23-08 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No 208 This Water Well Record was completed on (mo/day/year) 9-26-08						
under the business name of Minter-Wilson Drlg., Co., Inc. by (signature) Weller (STRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top						
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						

he essionals

MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic and Repairing

INCORPORATED

Phone 276-8269

P.O. Box A

GARDEN CITY, KANSAS 67846

NAME

EDNA COLLINGWOOD TRUST

COUNTY

FINNEY

DATE

7-28-08

LOCATION:

SE 1/4 31-26-32 - FROM HASKELL & FINNEY COUNTY LINE -

3/4 OF A MILE EAST & 1/4 OF A MILE NORTH

- 102 FT. SOUTH OF EXISTING WELL

STATIC WATER LEVEL - APPROX. 240 FT.

TEST #1

0' TO 1' - TOP SOIL

1' TO 41' - BROWN CLAY

41' TO 93' - FINE TO MEDIUM SAND & GRAVEL

93' TO 126' - BROWN SANDY CLAY

126' TO 176' - FINE TO MEDIUM SAND & GRAVEL WITH CLAY STRIPS 10%

176' TO 200' - BROWN CLAY

200' TO 204' - BLUE CLAY

204' TO 221' - BLUE CLAY WITH BLUE SAND STREAKS

221' TO 233' - FINE TO MEDIUM SAND & GRAVEL

233' TO 246' - BROWN CLAY

246' TO 298' - FINE TO MEDIUM SAND & GRAVEL

298' TO 300' - CEMENTED SAND - PULL DOWN 300 AT 298'

300' TO 308' - FINE TO MEDIUM SAND & GRAVEL

308' TO 327' - BROWN SANDY CLAY

327' TO 335' - FINE TO MEDIUM SAND

335' TO 348' - FINE TO MEDIUM SAND & GRAVEL

348' TO 361' - BROWN SANDY CLAY

361' TO 366' - FINE TO MEDIUM SAND & GRAVEL

366' TO 422' - BROWN SANDY CLAY

422' TO 451' - BROWN CLAY - STICKY

451' TO 477' - FINE TO MEDIUM SAND & GRAVEL

477' TO 490' - YELLOW CLAY

490' TO 500' - GRAY SHALE