Country FINNEY No W SE NE NE No Street/Rund Address of Well Location, if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Clabal Positioning System (CSP) information from nearest town or intersection: If at owner's address, check here Clabal Positioning System (CSP) information from nearest town or intersection: If at owner's address, check here Clabal Positioning System (CSP) information from nearest town or intersection: If at owner's address, check here Clabal Positioning System (CSP) information: If at owner's address, check here Clabal Positioning System (CSP) information: Information from nearest town or intersection: If at owner's address, check here Clabal Positioning System (CSP) information: Information from nearest town or intersection: If at owner's address, check here Clabal Positioning System (CSP) information: Information from nearest town or intersection from nearest town or intersecti	WATER WELL REC	CORD	Form W	WC-5	Divi	ision of Water	Resources App. No	0.		
Street/Rural Address of Well Location, if unknown, distance & direction Gone parents town on intersection: If at owner's address, check her Gone Gon	1 LOCATION OF WATER WELL:			1/2 NF 1/2						
from nearest lown or intersection: If at owner's address, check here GARDEN CITY-14 M SO N HWY 83 TO LEAR ROAD, 1 M EAST MILE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N & 880 FT. W LINE SOUTH, 2 751 FT. N LINE SOUTH, 2 751 FT.	Street/Rural Address of	f Well Location:	f unknown distance &	direction						
GARDEN CITY-14 MS ON HWY 83 TO LEAR ROAD, 1 M EAST MILE SOUTH, 2,751 FT, N & 880 FT, W WATER WELL OWNER: EDNA COLLINGWOOD TRUST RR4, Street Address, Box #: PO BOX 1184 City, State, 21 Code UTCHINSON, KS 67504 Calestion Method: GrS unit (Make/Model: GrS						Latitude: (in decimal degrees)				
MATER WELL OWNER: EDNA COLLINGWOOD TRUST RZHZ Street Address, Box #: PO BOX 1184 City, State, ZIP Code HUTCHINSON, KS 67504 City, State, ZiP Code City, City, State, ZiP Code City, City, State, ZiP Code City,						Longitude: (in decimal degrees)				
WATER WELL OWNER: EDNA COLLINGWOOD TRUST RIRE, Street Address, Box #: PO BOX 1194 City, State, ZIP Code						Elevation:				
RR#, Streen Address, Box #: P O BOX 1184 City, State, ZIP Code				ICT						
City, State, ZIP Code		LDIVA		551						
STYPE OF CASING USED STREED STREE				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey						
WITH AN "X" IN SECTION BOX: Depths of Foundation and Section Box: Depths of Box:		1101011	1140014, 110 07 004		Est. Ac	curacy:	3 m, 3-5 m,	5-15 m,		
SECTION BOX: Section Record Section		4 DEDTH OF	COMDITED WELL	490		A				
WELL'S STATIC WATER LEVEL. 263. ft. below land surface measured on moday/rt. 2:12:11. WELL'S STATIC WATER LEVEL. 263. ft. below land surface measured on moday/rt. 2:12:11. Brown Foliation of the pump text data. Well water was. ft. after. hours pumping. gpm Brown Foliation of the pump text data. Well water was. ft. after. hours pumping. gpm Brown Foliation of the pumping of the pumping. gpm Brown Foliation of the pumping of the pumpi							ft ((3) ft		
Pump test data: Well water was. ft. after. hours pumping. gpm hours was perfectly after the property of th		WELL'S STAT	IC WATER LEVEL 2	.63 ft	below la	and surface t	neasured on mo/d	av/vr. 2-12-11		
NW NE EST. YIELD gpm Well water was ft. after hours pumping gpm Well water was ft. after hours pumping gpm Well water was ft. after hours pumping gpm Well water supply Geothermal Injection well Domestic		Pump	test data: Well water	r was	ft.	after	hours pum	pinggpm		
Bore Hole Diameter .99, in. to .499, ft., and in. to in. control Injection well	NW - NE -	EST. YIELD	gpm. Well water wasft. after hours pumping gpm							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		Bore Hole Diam	eter30 in. to490 ft., andin. to							
Irrigation	- - - - - -									
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mofday/yr sample was submitted. Water well disinfected? Yes No No No No No No No N	SW SE									
STYPE OF CASING USED: Steel PVC Other		Irrigation								
Mater well disinfected? Yes No	•	If yes more	daylyr sample was sub	pacteriological sample submitted to Department? Yes No						
STYPE OF CASING USED: Steel PVC Other		Water well disir	fected? Tyes 7	No						
CASING JOINTS: Glued Clamped Welded Threaded From 345 ft. Casing diameter 16.	5 THE OF CACING									
Casing diameter 16. in. to .285. ft. Diameter 19. in. to .395. ft. Diameter in. to	CASING IOINTS:	Clued Cler	nned F 1 Welded	Juner □ Threaded	From	345 ft.				
Casing height above land surface. 12. in, Weight 42.05. lbs/ft, Wall thickness or gauge No. 259. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel	Casing diameter 16	in to 285	ft Diameter 1	6 in	to 395	6 D	iameter	in to ft		
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel	Casing height above land surface 12 in Weight 42.05 lbs /ft Wall thickness or gauge No250									
□ Brass □ Galvanized Steel □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: □ Continuous slot □ Mill slot □ Gauze wrapped □ Torch cut □ Other (specify) □ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify) □ SCREEN-PERFORATED INTERVALS: From 285. ft. to .345. ft. from .385. ft. to .490. ft. From .20. ft. to .345. ft. from .270. ft. to .490. ft. GRAVEL PACK INTERVALS: From 20. ft. to .210. ft. from .270. ft. to .490. ft. From .ft. to .ft. from .ft. to .ft. from .ft. to .ft. GROUT MATERIAL: □ Neat cement □ Cement grout □ Bentonite Grout Intervals: From 0. ft. to .20. ft. from .210. ft. from .ft. to .ft. What is the nearest source of possible contamination: □ □ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Sewer lines □ Seepage pit □ Feedyard □ Distance from well Direction from well □ LiTHOLOGIC LOG □ FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS SEE ATTACHED LOG □ FROM TO LITHOLOG (cont.) or PLUGGING INTERVALS SEE ATTACHED LOG □ This water well was □ constructed, □ reconstructed, or □ plugged under my jurisdiction and was completed on (mo/day/year)	TYPE OF SCREEN OR	PERFORATION	MATERIAL:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Continuous slot Mill slot Gauze wrapped Saw cut Other (specify) Saw cut Saw	☑ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
Continuous slot Meter Skey punched Saw cut Other (specify) Screen Screen Skey cut Other (specify) Screen Screen Screen Skey cut Other (specify) Screen Screen Skey cut Other (specify) Screen Skey cut Other Skey	☐ Brass ☐ Ga	Ivanized Steel	None used (open h	ole)						
Contractor's Or Landowner's Certification Seegage pit Feedyard From To Lithologic Log From To Lithologic and basis some of MINTER-WILSON DRILLING CO. INC. by (signature)				Torah aut	□ Deil	led holes	□ None (open ho	10)		
SCREEN-PERFORATED INTERVALS: From. 285 ft to .345 ft. From .385 ft to .490 ft From	Louvered shutter	Key punched	✓ Wire wrapped	Saw cut	Othe	er (specify)	☐ None (open no			
From ft to ft, From ft, From ft, From ft, From ft to ft GRAVEL PACK INTERVALS: From 20 ft to 210 ft, From ft to 490 ft From ft to ft ft GROUT MATERIAL: Neat cement from ft to ft, From ft to ft ft	SCREEN-PERFORATED INTERVALS: From 285 ft. to 345 ft. From 385 ft. to 490 ft.									
From ft to ft.	From									
GROUT MATERIAL:	GRAVEL PACK INTERVALS: From 20 ft. to 210 ft., From 270 ft. to 490 ft.									
Grout Intervals: From 9 ft. to .20 ft., From .210 ft. to .270 ft., From .ft. to .ft. What is the nearest source of possible contamination: Septic tank	COROLINA COMPANY		From	ft. to		. ft., From	It.	to It.		
What is the nearest source of possible contamination: Septic tank	6 GROUT MATERIA	L: ∐ Neat cem	ent V Cement ground	t ∐ Benton 210	nite L] Other 70 &	Erom	ft to ft		
Septic tank Lateral lines Pit privy Sewer lines Sewer lines Cesspool Sewage lagon Feedyard Fertilizer storage Oil well/gas well N/A	What is the negreet source	e of possible cont	amination:	I .= :×	1t. w .	:. 11.,	, FIOIII			
Sewer lines	Sentic tank									
Distance from well Distance from well Distance from well	Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
SEE ATTACHED LOG TO LITHO. LOG (cont.) or PLUGGING INTERVALS CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2-12-11. and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208. This Water Well Record was completed on (mo/day/year) 2-21-11. under the business name of MINTER-WILSON DRILLING COINC. by (signature) Let Let L INSTRUCTIONS: Use typevriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.	Wateringht sewer mies Decepage pit Dreedyste Dreithzer storage Den Weinges wen									
SEE ATTACHED LOG 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo/day/year) 2-15-11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 2-21-11 under the business name of MINTER-WILSON DRILLING CO INC by (signature) Local Keller. INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.			SIGT OC					ICCINC INTERVALS		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigsig \) constructed, \(\bigsig \) reconstructed, or \(\bigsig \) plugged under my jurisdiction and was completed on \(\modslapsis \) modeling (mo/day/year) \(\) 2-12-11 \(\) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 \(\) This Water Well Record was completed on \(\modslapsis \) mo/day/year) \(\) 2-21-11 \(\) under the business name of \(\) MINTER-WILSON DRILLING CO. \(\) NC. \(\) by \(\text{signature} \) \(\) \(\) Element (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include \(\frac{fee}{100} \) of \$5.00 for each \(\frac{constructed}{1000} \) well. Visit us at http://www.kdheks.gov/waterwell/index.html.	FROM TO	LITHOLOG	JIC LOG	FROM	10	LITHO. L	OG (cont.) of PL	OGGING INTERVALS		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigcirc \text{constructed}, \sqrt{reconstructed}, \text{or} \sqrt{plugged} \) under my jurisdiction and was completed on \(\text{moday/year} \) \(\text{-2-1} \) \(\text{and this record is true to the best of my knowledge and belief.} \) Kansas Water Well Contractor's License No. 208. \(\text{This Water Well Record was completed on \(\text{mo/day/year} \) \(\text{2-21-11} \) under the business name of \(\text{MINTER-WILSON DRILLING CO.} \) INC. \(\text{by (signature)} \) \(\text{Mexicute Mexicute Allerone} \) INSTRUCTIONS: Use typewriter or ball point pen. \(\text{PLEASE PRESS FIRMLY} \) and \(\text{PRINT clearly.} \) Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.				 		***************************************				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year)										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year)	SEF A	TTACHED LOG)							
under my jurisdiction and was completed on (mo/day/year)										
under my jurisdiction and was completed on (mo/day/year)		VIII.								
under my jurisdiction and was completed on (mo/day/year)										
under my jurisdiction and was completed on (mo/day/year)										
under my jurisdiction and was completed on (mo/day/year)										
under my jurisdiction and was completed on (mo/day/year)				<u></u>						
Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 2-21-11										
under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) Market Kelley Instructions: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .	under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) Yioha KORRA A									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.	INSTRUCTIONS: Use type	writer or ball point pe	n. PLEASE PRESS FIRML	Y and PRINT cl	early. Plea	ase fill in blank	s and check the corre	ect answers. Send three copies		
http://www.kdheks.gov/waterwell/index.html.	(white, blue, pink) to Kansas	Department of Health	n and Environment, Bureau	of Water, Geol	logy Section	on, 1000 SW J	ackson St., Suite 420,	, Topeka, Kansas 66612-1367.		
			TER WELL OWNER and	retain one for	your recor	ds. Include <u>f</u> e	ee of \$5.00 for each	constructed well. Visit us at		
	KSA 82a-1212	TOTA BROOK.HUIII.			Cł	neck: 🔽 W	hite Copy, B	lue Copy, Pink Copy		

21,046

The Professionals MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Repairing

INCORPORATED

Phone 620-276-8269 P.O. Box A • GARDEN CITY, KANSAS 67846

NAME

COLLINGWOOD TRUST

COUNTY

FINNEY

DATE

11-19-10

LOCATION:

NE 1/4 31-26-32 - FROM HWY, 83 & LEAR ROAD - 1 MILE EAST.

1/4 OF A MILE SOUTH & 1/4 OF A MILE

SOUTHWEST

- SOUTHEAST EDGE OF CIRCLE

STATIC WATER LEVEL - 250 FT.

TEST#3

0' TO	1' -	TOP SOIL
41.70	ο.	DDOMAL

1' TO 3' - BROWN SANDY CLAY

3' TO 10' - BROWN CLAY

10' TO 34' - BROWN SANDY CLAY

34' TO 88' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

88' TO 100' - BROWN CLAY

100' TO 127' - BROWN SANDY CLAY WITH STRIPS OF WHITE ROCK

127' TO 200' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE WITH LAYERS OF BROWN CLAY

200' TO 205' - BROWN CLAY

205' TO 240' - BLUE CLAY

240' TO 243' - BROWN CLAY

243' TO 265' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

265' TO 271' - FINE TO MEDIUM SAND & GRAVEL & WHITE ROCK-CEMENTED

271' TO 277' - FINE TO MEDIUM SAND & GRAVEL

277' TO 288' - BROWN SANDY CLAY

228' TO 294' - FINE TO MEDIUM SAND & GRAVEL

294' TO 300' - BROWN SANDY CLAY

300' TO 307' - FINE TO MEDIUM SAND & GRAVEL

307' TO 313' - BROWN SANDY CLAY

313' TO 323' - FINE TO MEDIUM SAND & GRAVEL

323' TO 334' - BROWN SANDY CLAY

334' TO 337' - FINE TO MEDIUM SAND & GRAVEL

337' TO 414' - BROWN SANDY CLAY WITH STRIPS OF WHITE ROCK

414' TO 417' - FINE TO MEDIUM SAND

417' TO 437' - BROWN CLAY

437' TO 453' - FINE TO MEDIUM SAND & GRAVEL WITH SOME BROWN ROCK

453' TO 468' - BROWN CLAY WITH STRIPS OF BROWN ROCK - 30%

468' TO 485' - HARD BROWN & YELLOW CLAY WITH 20% BROWN ROCK - 250 PULL DOWN

485' TO 497' - HARD BROWN & YELLOW CLAY & GRAY SHALE - 250 PULL DOWN

497' TO 515' - SHALE WITH SOME HARD BROWN CLAY - 250 PULL DOWN