

WATER WELL RI		// // C-3	1093	1		on of Water		W 11 ID		
		e in Well Use				ces App. No		Well ID	N7 1	
1 LOCATION OF WA	ATER WELL:	Fraction	1/		section	on Number	Township Numb		ge Number	
County:		1/4 1/4	1/4	1/4	1	A 11	<u>T</u> S	R	□E □W	
2 WELL OWNER: Las Business:	st Name:	First:					here well is located			
Address:	direction from nearest town or intersection): If at				tersection). If at owne	er's address, o	check here:			
Address:										
City:	State:	ZIP:								
3 LOCATE WELL	4 DEPTH OF COM	IPI ETED WE	'T T •		ft	5 I atitud	0.		(daaimal daamaaa)	
WITH "X" IN	Depth(s) Groundwater				ft. Longitude:(decimal degrees)					
SECTION BOX:	2) ft.									
N	WELL'S STATIC WA									
	☐ below land surface.					GPS (unit make/model:)				
NW NE	above land surface,	measured on (m	o-day-	yr)	···· (WAAS enabled? \(\subseteq \text{ Yes} \(\supseteq \text{ No)} \)					
	Pump test data: Well w					☐ Lan	☐ Land Survey ☐ Topographic Map			
W E	after hours					☐ Onl	ine Mapper:			
SW SE		ater was								
	after hours pumping			Level TOC						
S	Bore Hole Diameter:			ft and						
mile	Dore Hole Diameter									
7 WELL WATER TO										
1. Domestic:		ter Supply: well	ID			10. □ Oil I	Field Water Supply: 1	ease		
☐ Household		g: how many we					le: well ID			
☐ Lawn & Garden		echarge: well ID				☐ Case	d Uncased	Geotechnica	l	
☐ Livestock		g: well ID					mal: how many bore			
2. Irrigation		al Remediation:					ed Loop 🔲 Horizon			
3. ☐ Feedlot	Air Sparge			Extraction						
4. Industrial	Recovery	☐ Inject	ion			13. ☐ Othe	r (specify):			
Was a chemical/bacteri		itted to KDHF	E? 🔲 `	Yes \square N	o I	f yes, date s	ample was submitte	ed:		
Water well disinfected?										
8 TYPE OF CASING 1									d Threaded	
Casing diameter										
Casing height above land su				lbs./f	t.	Wall thickne	ess or gauge No	• • • • • • • • • • • • • • • • • • • •		
TYPE OF SCREEN OR							(5.10.)			
	less Steel	_	PVC	1.6 1	1.	☐ Other	(Specify)	•••••		
☐ Brass ☐ Galva SCREEN OR PERFORA	nized Steel Conc		None us	sed (open h	oie)					
		auze Wrapped	□то	rch Cut E	l Dril	led Holes	Other (Specify)			
	☐ Key Punched ☐ W					ne (Open Hol		• • • • • • • • • • • • • • • • • • • •		
SCREEN-PERFORATE	D INTERVALS: From	1 ft. to		ft Fror	n	ft. to .	ft From	ft. to	ft.	
	K INTERVALS: Fron									
9 GROUT MATERIA										
Grout Intervals: From										
Nearest source of possible										
☐ Septic Tank	Lateral Line					vestock Pens		cide Storage		
Sewer Lines	Cess Pool	☐ Sewa				iel Storage		oned Water	Well	
☐ Watertight Sewer Line					∐ Fe	ertilizer Stora	ge ∐ Oil We	ell/Gas Well		
☐ Other (Specify)										
10 FROM TO	LITHOLOG		IOIII WC	FROM			ITHO. LOG (cont.) o		GINTERVALS	
10 11(0)(1	EIIIOEO	310 200		TRON		10 1	IIIO. LOG (cont.) o	I I Le don v	O II (TER (TES	
Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and	under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Cont	ractor's License No	Tr	ns Wa	ter Well R	ecor	a was comp	pieted on (mo-day-y	ear)	•••••	
under the business name of										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										

KSA 82a-1212

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1093125	

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	9	BROWN SANDY CLAY
9	50	FINE SAND
50	60	BROWN SANDY CLAY W/ SOME SAND STRIPS
60	85	FINE SAND
85	120	SAND FINE TO MED, COURSE SMALL MED LARGE GRAVEL
120	176	SAND FINE TO MED SOURSE WITH COUPLE CLAY STRINGS
176	190	BROWN & LIGHT BLUE CLAY
190	232	SAND FINE RO MED COURSE
232	247	BROWN SANDY CLAY
247	257	SAND FINE TO MED COURSE
257	262	BROWN SANDY CLAY
262	289	FINE SAND WITH FOUR CLAY STRINGERS
289	302	BROWN SAMDY CLAY WITH FEW SAND STRIPS
302	360	SAND FINE TO MED COURSE SMALL GROUND
360	380	SAND FINE TO MED COURSE

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1093125	

Litholgy

From	То	LithologicLog
380	390	SAND FINE TO MED FEW COURSE
390	400	BROWN SANDY CLAY W MANY SAND STRIPS
400	411	SAND FINE TO MED COURSE
411	419	BROWN SANDY CLAY
419	440	SAND FINE TO MED W COUPLE CLAY LEDGES
440	446	BROWN SANDY CLAY
446	460	SAND FINE TO MED
460	469	BROWN SANDY CLAY WITH COUPLE SAND STRIPS
469	480	FINE SAND W/ FEW CLAY STRINGERS
480	502	FINE SAND W/ COUPLE CLAY STRINGERS
502	522	BROWN CLAY STRINGERS
522	540	SAND FINE TO MED COURSE W/ BROWN ROCK
540	548	BROWN SANDY CLAY W/ FEW SAND STRIPS
548	558	SAND FINE TO MED COURSE W/ BROWN ROCK
558	564	SOAPSTONE
564	580	BLUE SHOLE