

WATER WELL		WWC-5 1194	DI	vision of Water		
				ources App. No ction Number	rces App. No. Well ID	
1 LOCATION OF WATER WELL: County:		Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$			Township Number	Range Number R \square E \square W
2 WELL OWNER: I	ast Nama:	First:		reet or Rural Address where well is located (if unknown, distance and		
Business:	Last Ivallie.	14151.		irection from nearest town or intersection): If at owner's address, check here:		
Address:			uncetion nom	rection nonn nearest town of intersection). If at owner's address, check here.		
Address:	State:	710.				
City: 3 LOCATE WELL	State:	ZIP:				
WITH "X" IN		APLETED WELL: .		t. 5 Latitu	de:	(decimal degrees)
SECTION BOX:		Encountered: 1)				(decimal degrees)
Ν		3) ft., or 4) [TER LEVEL:			WGS 84 NAD 8	33 🔲 NAD 27
		e, measured on (mo-day-			for Latitude/Longitude:)
NW NE		, measured on (mo-day-			(WAAS enabled? \square Y	
		vater was f			nd Survey	
W E		s pumping				
SW SE		water was f				
	Estimated Yield:	s pumping	gpm	6 Elevat	ion :ft. Г	Ground Level
S		gpm in. to	. ft. and			PS
1 mile		in. to				
7 WELL WATER TO) BE USED AS:			•		
1. Domestic:		ater Supply: well ID			Field Water Supply: leas	
Household		ng: how many wells?				
Lawn & Garden		echarge: well ID			sed 🗌 Uncased 🔲 Ge	
☐ Livestock 2. ☐ Irrigation		ag: well IDal Remediation: well II			ermal: how many bores?	
3. Feedlot	Air Sparg					
4. Industrial	□ Recovery				ner (specify):	
Was a chemical/bacte	riological sample subn	nitted to KDHE?	Yes 🗆 No	If ves, date	sample was submitted:	
Water well disinfected		L		j,		
8 TYPE OF CASING		C 🗌 Other	CASI	NG JOINTS:	Glued Clamped	Welded Threaded
Casing diameter	in. to ft.	, Diameter	in. to	ft., Diame	eter in. to	ft.
Casing height above land			lbs./ft.	Wall thick	ness or gauge No	
TYPE OF SCREEN O						
	nless Steel Fiber vanized Steel Conc		sed (open hol		er (Specify)	
	ATION OPENINGS A		ised (open noi	e)		
			orch Cut 🔲 I	Drilled Holes	Other (Specify)	
	☐ Key Punched ☐ W			None (Open Ho		
SCREEN-PERFORAT	ED INTERVALS: Fror	n ft. to	ft., From	ft. to	ft., From	ft. to ft.
	CK INTERVALS: From					
9 GROUT MATERIA						
Grout Intervals: From Nearest source of possib		ft., From	ft. to	ft., From .	It. to	It.
Septic Tank	Lateral Line	es 🗌 Pit Privy	Г	Livestock Per	s 🗌 Insecticid	e Storage
Sewer Lines	Cess Pool	Sewage La		Fuel Storage		ed Water Well
Watertight Sewer Li		☐ Feedyard		Fertilizer Stor		Gas Well
☐ Other (Specify) Direction from well? Distance from well? ft.						
						LUGGING INTERVALS
10 FROM TO	LITHOLO	GIULUG	FROM	10	LITHO. LOG (cont.) of P	LUGGING INTERVALS
	Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged						
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.						
Kansas Water Well Co	ntractor's License No		ater Well Re	cord was com	pleted on (mo-day-year	r)
under the business nam	e of					
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.						
_	and Environment, Bureau of v eks.gov/waterwell/index.html		JOU D W JACKSOI	i 51., 5uite 420, 1	орека, канзаз 00012-1307.	KSA 82a-1212

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1194966	

Litholgy

From	То	LithologicLog
0	2	top soil
2	20	brown sandy clay
20	41	fine sand w/ some clay stringers
41	79	sand fine to med coarse small med gravel
79	84	brown sandy clay
84	116	sand fine to med coarse
116	130	brown sandy clay
130	141	sand fine to med coarse small gravel
141	148	brown sandy clay
148	164	brown sandy clay w/ many sand strips
164	179	sand fine to med coarse w/ couple clay ledges
179	187	brown sandy clay
187	192	sand fine to med
192	211	brown sandy clay
211	221	fine sand
221	228	sand fine to med coarse
228	233	brown sandy clay
233	331	sand fine to med coarse
331	336	brown sandy clay
336	340	sand fine to med coarse

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1194966	

Litholgy

From	То	LithologicLog
340	370	brown sandy clay w/ many sand beds
370	383	fine sand
383	404	brown sandy clay
404	410	fine sand w/ few clay stringers
410	444	fine sand w/ some clay stringers
444	469	sandstone & soapstone
469	479	sandstone & soapstone
479	500	sandstone w/ few soapstone
500	520	shale