

WATER WELL R		WWC-5 1327	DI	vision of Wate		
Original Record Correction Change I LOCATION OF WATER WELL:				ources App. N ction Numbe		Well ID er Range Number
County:					$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance direction from nearest town or intersection): If at owner's address, check haddress: Address: Address: City: State:						
3 LOCATE WELL						
WITH "X" IN		IPLETED WELL: . Encountered: 1)				(decimal degrees)
SECTION BOX: N NW NE W SW SE E	2) ft. WELL'S STATIC WA below land surface above land surface Pump test data: Well v after hour Well v after hour] Dry Well ft. yr) yr) t. gpm t.	Well Datum: □ WGS 84 □ NAD 83 □ NAD 27 ft. Source for Latitude/Longitude: □ GPS (unit make/model:		D 83 □ NAD 27 :) Yes □ No) aphic Map	
	Estimated Yield:				6 Elevation:ft. Ground Level TOC	
S		in. to		and Source: Land Survey GPS Topographic Map		
1 mile 7 WELL WATER TO		in. to	It.			
1. Domestic:		ater Supply: well ID		10. 🗖 Oi	1 Field Water Supply le	ease
 ☐ Household ☐ Lawn & Garden ☐ Livestock 2. ☐ Irrigation 3. ☐ Feedlot 	6. ☐ Dewaterir 7. ☐ Aquifer R 8. ☐ Monitorin 9. Environment ☐ Air Sparg)	11. Test I □ Ca 12. Geoth a) Cl	 11. Test Hole: well ID □ Cased □ Uncased □ Geotechnical 12. Geothermal: how many bores? a) Closed Loop □ Horizontal □ Vertical b) Open Loop □ Surface Discharge □ Inj. of Water 		
4. Industrial			Extraction			
Was a chemical/bacter		-	Yes 🗆 No		1	d:
Water well disinfected?				11 yes, dat	sumple was submitte	u
8 TYPE OF CASING		C 🗆 Other	CASI	NG JOINTS	: Glued Clamped	1 🗌 Welded 🔲 Threaded
Casing diameter						
Louvered Shutter	🗌 Key Punched 🔲 W	/ire Wrapped 🛛 🗍 Sa	w Cut 🛛 🗋 🛛	None (Open H	lole)	
SCREEN-PERFORATI	ED INTERVALS: From					ft. to ft.
	CK INTERVALS: Fror					
9 GROUT MATERIA Grout Intervals: From Nearest source of possibl	ft. to					
Septic Tank	Lateral Line	es 🗌 Pit Privy	Г	Livestock Pe	ns 🗆 Insectio	ride Storage
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Other (Specify) Severe Compared to the						
Direction from well? ft.						
10 FROM TO	LITHOLO	GIC LOG	FROM	TO	LITHO. LOG (cont.) or	PLUGGING INTERVALS
<u>├</u> ───┤						
<u>├</u> ───┼						
			Notes:	1		
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No						
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <u>http://www.kdheks.gov/waterwell/index.html</u> KSA 82a-1212						

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1327133	

Litholgy

From	То	LithologicLog
0	2	top soil
2	30	fine sand
30	37	brown sandy clay
37	52	fine sand
52	56	brown sandy clay
56	109	sand fine to med coarse small med large gravel
109	131	brown sandy clay w/ some sand beds
131	138	sand fine to med coarse small gravel
138	162	brown clay w/ few sand strips
162	174	sand fine to med coarse
174	181	brown sandy clay
181	199	sand fine to med coarse
199	204	brown sandy clay
204	223	sand fine to med coarse small gravel
223	254	sand fine to med coarse w/ many clay ledges
254	267	blue clay
267	327	sand fine to med coarse small gravel
327	338	brown sandy clay
338	358	sand fine to med w/ many clay ledges

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1327133	

Litholgy

From	То	LithologicLog
358	380	sand fine to med coarse
380	400	sand fine few med w/ some clay ledges
400	410	brown clay w/ some sand stips
410	424	fine sand
424	439	sand fine to med
439	450	brown sluffy clay
450	470	brown sluffy clay w some sand strips
470	490	sand fine to med coarse w/ some brown & tan rock
490	503	brown sluffy clay
503	511	soapstone
511	528	soapstone & sandstone
528	542	brown rock & sandstone
542	545	soapstone
545	560	shale