KOLAR Document ID: 1466671

WATER WELL R Original Record		n WWC-5 sange in Well Use		ision of Water ources App. No.		Well ID	
1 LOCATION OF W		Fraction		tion Number	Township Numb		
County:	TIER WEEL.	1/4 1/4 1/4	1/4	tion i vanioei	T S	R DE DW	
2 WELL OWNER: L	ast Name:	First:	Street or Ru	ral Address wl	nere well is located	(if unknown, distance and	
Business:			direction from 1	ection from nearest town or intersection): If at owner's address, check here:			
Address: Address:	Address:						
City:	State:	ZIP:					
3 LOCATE WELL							
WITH "X" IN		OMPLETED WELL: .				(decimal degrees)	
SECTION BOX:		ter Encountered: 1)		Vell Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
N		WATER LEVEL:					
		ace, measured on (mo-day-			GPS (unit make/model:)		
NW NE		ace, measured on (mo-day-		(WAAS enabled? Yes No) Land Survey Topographic Map			
	_	ell water was ft				•	
W E		ours pumping		☐ Onli	ne Mapper:		
SW SE		ell water was frours pumping					
	Estimated Yield:		gpiii	6 Elevation	on:ft	. Ground Level TOC	
S		r: in. to	. ft. and	Source:	☐ Land Survey ☐ (GPS Topographic Map	
mile		in. to	ft.	[Other		
7 WELL WATER TO							
1. Domestic:		Water Supply: well ID				ease	
Household		ering: how many wells?					
☐ Lawn & Garden ☐ Livestock		er Recharge: well ID oring: well ID					
2. ☐ Irrigation		ental Remediation: well ID			12. Geothermal: how many bores?		
3. ☐ Feedlot	☐ Air Sp					ischarge Inj. of Water	
4. ☐ Industrial	☐ Recov	ery 🔲 Injection		13. 🔲 Othe	r (specify):		
Was a chemical/bacter	riological sample su	bmitted to KDHE?	Yes 🗌 No	If yes, date s	ample was submitte	ed:	
Water well disinfected?							
		PVC Other					
		ft., Diameter					
Casing height above land a TYPE OF SCREEN OF			lbs./ft.	Wall thickne	ess or gauge No	•••••	
	aless Steel	/IATERIAL: □ PVC		□ Other	(Specify)		
	anized Steel		sed (open hole		(Specify)		
SCREEN OR PERFOR			··· (•F····	,			
☐ Continuous Slot	☐ Mill Slot	Gauze Wrapped 🔲 To	rch Cut 🔲 D				
☐ Louvered Shutter	☐ Key Punched ☐			one (Open Hole			
		From ft. to					
GRAVEL PAG	K INTERVALS: I	From ft. to	ft., From .	ft. to	ft., From	ft. to ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Nearest source of possible contamination: No potential source of contamination within 200 ft.							
Septic Tank							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lin		Pit Feedyard		Fertilizer Storag	ge 🔲 Oil We	ell/Gas Well	
Uther (Specify)		Distance from we			ft		
10 FROM TO		LOGIC LOG	FROM			r PLUGGING INTERVALS	
		20010 200	1110111	10 2		TECCONTO INTERCTION	
			Notes:				
			- 110000				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)							
United the juristiction at Kansas Water Well Cor	iu was completed 01 itractor's License Ma	o This Wa	and ter Well Rec	ord was comp	rue to the best of M leted on (mo-day-v	y knowieuge and bellef.	
under the business name	e of	11115 W d					
under the business name of Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1466671	

Litholgy

Littiolgy		
From	То	LithologicLog
0	2	top soil
2	4	brown sandy clay
4	8	fine sand w/ some clay mixed
8	22	brown sandy clay
22	35	sand fine to med coarse small gravel
35	41	gray sandy clay
41	59	brown clay
59	68	fine sand w/ some clay stringers
68	96	sand fine to med coarse few small gravel
96	120	brown clay w/ some fine sand mixed
120	135	brown clay
135	140	sand fine to med coarse
140	151	brown & some light blue clay
151	178	sand fine to med few coarse
178	234	blue clay
234	252	sand fine to med
252	260	sand fine to med few coarse
260	268	sand fine to med coarse
268	284	brown sandy clay
284	328	sand fine to med coarse
328	340	brown sandy clay
	•	•

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1466671	

Litholgy

From	То	LithologicLog
340	352	fine sand w/ few clay stringers
352	377	sand fine some med w/ few small white rock
377	395	brown sandy clay
395	429	fine sand w/ couple clay ledges
429	438	brown sandy clay
438	484	sandstone w/ few soapstone ledges
484	500	shale