

15307

| | | | | | |
|--|--|--|--|----------------------------------|----------------------------------|
| 1 LOCATION OF WATER WELL: County: Finney | | Fraction SE ¼ SE ¼ NE ¼ | Section Number 24 | Township Number T 26 S | Range Number R 33 E(W) |
| Distance and direction from nearest town or city street address of well if located within city? Garden City-13 miles south on Hwy. 83 to Craft Road, 2,711 ft. north & 458 ft. west | | | Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: _____ Longitude: _____ Elevation: _____ Datum: _____ Data Collection Method: _____ | | |
| 2 WATER WELL OWNER: Orrien R. Beyer Estate RR#, St. Address, Box # : c/o James Beyer City, State, ZIP Code : 5665 Arapahoe Rd. #523 Dallas, Texas 75248 | | | | | |
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N W E -- NW -- -- NE -- X S N SW SE S | | 4 DEPTH OF COMPLETED WELL470.....ft. Depth(s) Groundwater Encountered (1).....ft. (2).....ft. (3).....ft. WELL'S STATIC WATER LEVEL..... 246ft. below land surface measured on mo/day/yr... 11-15-06 Pump test data: Well water was.....ft. after..... hours pumping..... gpm Est. Yield.....gpm: Well water was.....ft. after..... hours pumping..... gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) ② Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well | | | |
| Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yrs Sample was submitted..... Water well disinfected? Yes No X | | | | | |
| 5 TYPE OF CASING USED: ① Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass Blank casing diameter 16in. to 270ft., Diameter.....in. toft., Diameter.....in. toft. Casing height above land surface..... 12in., Weight..... 42.05lbs./ft. Wall thickness or guage No. 250 TYPE OF SCREEN OR PERFORATION MATERIAL: ① Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) 2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot ③ Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched ⑥ Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From..... 270ft. to 470ft., From.....ft. toft. From.....ft. toft., From.....ft. toft. GRAVEL PACK INTERVALS: From..... 20ft. to 190ft., From..... 250ft. to 470ft. From.....ft. toft., From.....ft. toft. | | | | | |
| 6 GROUT MATERIAL: 1 Neat cement ② Cement grout 3 Bentonite 4 Other Grout Intervals: From..... 0ft. to 20ft., From..... 190ft. to 250ft., From.....ft. toft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS | | | | | |
| See attached log | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-15-06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 11-27-06 under the business name of Minter-Wilson Drilling Co., Inc. by (signature) <i>Nora Keller</i> | | | | | |
| INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells. | | | | | |

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Orrien Beyer
Dick Strandmark
Finney County
5/10/04

Location: NE $\frac{1}{4}$ 24-26-33 - South of Garden City on Hwy. 83 to T.V. Road -
 $\frac{1}{2}$ mile south, 474 ft. west & 53 ft. north

Static Water Level - 260

Test #1

0' to 2' - Top soil
2' to 8' - Brown clay
8' to 17' - Brown sandy clay
17' to 25' - Fine sand
25' to 30' - Brown sandy clay
30' to 36' - Fine sand
36' to 42' - Gray clay
42' to 96' - Fine to medium sand & gravel
96' to 122' - Brown sandy clay - small gravel streak
122' to 145' - Brown sandy clay
145' to 150' - Fine to medium sand
150' to 172' - Brown sandy clay
172' to 188' - Fine to medium sand & gravel
188' to 200' - Fine to medium sand & gravel - clay streak
200' to 216' - Brown clay - small gravel streak
216' to 239' - Fine to medium sand & gravel - clay strip
239' to 252' - Brown clay
252' to 304' - Fine to medium sand & gravel
304' to 315' - Brown sandy clay
315' to 328' - Fine to medium sand & gravel
328' to 337' - Brown sandy clay
337' to 356' - Fine to medium sand & gravel - 10% clay
356' to 388' - Brown sandy clay
388' to 402' - Fine to medium sand & gravel - 10% clay
402' to 437' - Brown clay
437' to 455' - Fine to medium sand - 10% clay
455' to 490' - Brown clay
490' to 497' - Yellow clay
497' to 500' - Shale