WATER WELL RECORD		Form WWC-5	Division of Wate	er Resources; App. No.	23,147	
	WATER WELL:	Fraction NE 1/4 SW 1/4 NW 1/4	Section Number 16	Township Number T 26 S	Range Number R 33 R/W	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)						
located within city? Garden City-12 M. South on Hwy. 83, Latitude:						
to TV Road, 3 M. West, 3940 Ft. North & 4060 Ft. West 2 WATER WELL OWNER: M & M Stone Land, LLC			Longitude:			
2 WATER WELI RR#, St. Address		ne Land, LLC Sandhill Road	Elevation:			
City, State, ZIP (ty, KS 67846	Datum:			
			Data Collection			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL						
LOCATION WITH AN "X" IN Depth(s) Groundwater Encountered (1)						
SECTION BOX: WELL'S STATIC WATER LEVEL204 ft. below land surface measured on mo/day/yr3-31-08						
N	N Pump test data: Well water wasft. after hours pumping gpm					
Est. Yieldgpm: Well water wasft. after hours pumping gpm						
WELL WATER TO BE USED AS: 5 Public water supply NB - NB - E WELL WATER TO BE USED AS: 5 Public water supply Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 12 Other (Specify below)						
W To Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs						
Sample was submitted						
S Sample was such interest.						
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped						
	RMP (SR) 6 Asbesto	s-Cement 9 Other (speci	fy below)	Welded	XX	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Welded Welded Threaded						
Blank casing diameter16 in. to265 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface12						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Description Description Description Stainless Steel						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot (3) Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched (6) Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 265						
From						
GRAVEL PACK INTERVALS: From						
rioni						
6 GROUT MATERIAL: 1 Neat cement (2) Cement grout 3 Bentonite 4 Other						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well How many feet? 30 .ft. south - 100 .ft. east						
FROM TO	LITHOLOGI			PLUGGING INTI		
TROM TO	211110200					
	See attached lo	og				
				,		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year)3-31-08 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No 208 This Water Well Record was completed on (mo/day/year)4-1-08						
under the business n	ame of Minter-Wilso	on Drilling Co., Inc.	by (signature)	ora Keller		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone						
	785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					

http://www.kdheks.gov/waterwell/index.html.

MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic and Repairing

INCORPORATED

Phone 276-8269 P.O. Box A **GARDEN CITY, KANSAS 67846**

NAME

STEVE STONE

COUNTY

FINNEY

DATE

3-6-08

LOCATION:

NW 1/4 16-26-33 - FROM STEVE'S HOUSE - 1/4 OF A MILE

SOUTH & 1/4 OF A MILE EAST

- 100 FT. WEST OF EXISTING WELL

STATIC WATER LEVEL - APPROX. 210 FT.

TEST #1

0' TO 2' - TOP SOIL

2' TO 19' - BROWN CLAY

19' TO 37' - FINE TO MEDIUM SAND & GRAVEL

37' TO 65' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

65' TO 74' - BROWN CLAY

74' TO 100' - FINE TO MEDIUM SAND & GRAVEL

100' TO 125' - FINE TO MEDIUM SAND & GRAVEL WITH CLAY STREAKS

125' TO 157' - FINE TO MEDIUM SAND & GRAVEL

157' TO 172' - BLUE CLAY

172' TO 232' - FINE TO MEDIUM SAND & GRAVEL

232' TO 247' - BROWN SANDY CLAY

247' TO 278' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY

278' TO 308' - BROWN CLAY

308' TO 323' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY

323' TO 356' - BROWN CLAY

356' TO 415' - BROWN SANDY CLAY

415' TO 419' - FINE TO MEDIUM SAND

419 TO 430' - BROWN SANDY CLAY

430' TO 444' - FINE TO MEDIUM SAND-BROWN ROCK & CLAY MIXED

444' TO 450' - BROWN YELLOW CLAY

450' TO 455' - SHALE