

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No. **19,679**

1 LOCATION OF WATER WELL:		Fraction NW ¼ NE ¼ Lot 2 ¼		Section Number 2	Township Number T 26 S	Range Number R 33 E
County: Finney				Distance and direction from nearest town or city street address of well if located within city? From Garden City, approx. 1 ½ mi. South.		
2 WATER WELL OWNER: Triangle H Grain & Cattle RR#, St. Address, Box # : 1955 W Plymell Rd City, State, ZIP Code : Garden City, Ks, 67846				Global Positioning System (decimal degrees, min. of 4 digits) Latitude: <u>37.824</u> Longitude: <u>100.8935</u> Elevation: _____ Datum: _____ Data Collection Method: <u>GPS</u>		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>428</u> ft.				
<div style="text-align: center;"> </div>		Depth(s) Groundwater Encountered 1 _____ ft. 2 _____ ft. 3 _____ ft. WELL'S STATIC WATER LEVEL <u>203</u> ft. below land surface measured on mo/day/yr <u>11/15/08</u> Pump test data: Well water was <u>30</u> ft. after <u>4</u> hours pumping <u>1153</u> gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <input checked="" type="checkbox"/> Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>x</u> ; If yes, mo/day/yr _____ Sample was submitted _____ Water Well Disinfected? Yes <u>X</u> No _____				
		5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ <input checked="" type="radio"/> Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded _____ 2 PVC 4 ABS 7 Fiberglass Threaded _____				
		Blank casing diameter <u>16</u> in. to <u>428</u> ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft. Casing height above land surface <u>12</u> in., Weight <u>42</u> lbs./ft. Wall thickness or gauge No. <u>.250</u>				
TYPE OF SCREEN OR PERFORATION MATERIAL: <input checked="" type="radio"/> Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) _____ 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: <input checked="" type="radio"/> Continuous slot 3 Mill slot 5 Gauge wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) _____						
SCREEN-PERFORATED INTERVALS: From <u>243</u> ft. to <u>303</u> ft. From <u>303</u> ft. to <u>473</u> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>478</u> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <input checked="" type="radio"/> 3 Bentonite 4 Other _____ Grout Intervals From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.						
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage <input checked="" type="radio"/> 4 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Direction from well? <u>North & East</u> How many feet? <u>471 & 31</u>						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0	2	Topsoil				
2	9	Brown Sandy Clay				
9	19	Fine Sand				
19	21	Brown Sandy Clay				
21	115	Fine to med. Coarse Sand, Gravel				
115	155	Fine-med. Coarse Sand, Gravel, Clay				
155	164	Blue Clay				
164	168	Fine to med. Coarse Sand				
168	174	Brown Sandy Clay				
174	258	Fine to med. Coarse Sand, Gravel, Clay				
258	275	Brown Sandy Clay with some Sand strps				
275	327	Fine to med. Coarse Sand, Gravel, Clay				
327	336	Brown Sandy Clay				
336	384	Fine to med. Coarse Sand, Clay Strngers				
384	396	Brown Sandy Clay				
396	428	Fine to med. Coarse Sand, Clay strngers				

White Copy

KSA 82a-1212

Form provided by Kansas Dept. of Agriculture, Bureau of Water Conservation, (913) 861-3100

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/13/08 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145. This Water Well Record was completed on (mo/day/year) 12/9/08 under the business name of Henkle Drilling & Supply Co., Inc. by (signature) *Gregory J. Henkle*.

INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell>.