WATER WE	LL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	o. 10,592				
	OF WATER WELL:	Fraction		Section	on Number	Township No.	Range N	umber			
County: Fin		¼ NE ¼ SE			9	T 26 S		□E ☑ W			
	Address of Well Location;		Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here					Latitude: .37,79832 (in decimal degrees) Longitude: 100,92604 (in decimal degrees)						
approx. 3 miles southwest of Plymell Rd & Hwy 83, South of Garden City, KS			Eleva	Elevation: 2883							
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, [NAD 27						
2 WATER WELL OWNER: SFH Trust RR#, Street Address, Box #: 1955 W Plymell Rd					Collection Method: ☐ GPS unit (Make/Model:)						
City, State, ZIP Code : Garden City, KS 67846				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey							
		Oity, 110 070-40				3 m, 3-5 m,					
3 LOCATE WE WITH AN "X	F00										
SECTION BO	OX: Denth(s) Groundwater Encountered (1) ft (2) ft (3)										
N	N WELL'S STATIC WATER LEVEL. 220ft. below land surface measured on mo/day/yr. 12/16/10										
	Pump test data: Well water wasft. after										
EST. YIELDgpm. Well water wasft. after hours pumping											
W Bore Hole Diameter 24											
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well											
SW SE Domestic											
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No											
S If yes, mo/day/yr sample was submitted											
water wen disinfected: W Tes 140											
5 TYPE OF CA	ASING USED: Steel	PVC C			•••••	••••					
CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter .16											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)											
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)											
SCREEN-PERFORATED INTERVALS: From248											
From 363 ft. to 503 ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From 20											
6 GROUT MA	TERIAL: Neat ceme	nt Cement grout	☑ Bento	onite [Other						
Grout Intervals:	From .0 ft. to			. ft. to	ft.,	From	. ft. to	ft.			
	est source of possible conta		_			-					
☐ Septic ta			Livestock Fuel stora		☐ Insecticide ☐ Abandoned		er (specify b	below)			
☐ Watertig	ht sewer lines Seepage p		Fertilizer		Oil well/ga		Detected	1			
	m well None Detected										
FROM TO	LITHOLOG	IC LOG	FROM	TO		OG (cont.) or PLU	GGING IN	NTERVALS			
2 20	surface		210 231	231	blue clay	, few limerock					
20 48	brown clay, calicho snd fine-med, coarse, s	m-Irae and	239	239 251		o med coarse					
48 55	brown clay	m-nge grvi	251	261			arse				
55 80	sand fine to sm med, few thin clay 261			278	sand fine to med, some coarse sand fine to med, coarse						
80 100	snd fine-small med, few coarse 278			304							
100 155				316	sand fine, small, med, few coarse						
155 175	brown-gray clay										
175 190				356	The state of the s						
190 210 blue clay, blue soapstone 356 366 bown-white clay 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was											
under my jurisdiction and was completed on (mo/day/year) .12/16/10											
Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (no) day/fear/10.4.11											
under the business name of Hydro Resources Mid Continent by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies											
INSTRUCTIONS:	Use typewriter or ball point pen to Kansas Department of Health	and Environment Program	and <u>PRINT</u> c	learly. Ple	ase fill in blanks	and check the correct	answers. Se	end three copies			
	5522. Send one copy to WAT										
http://www.kdheks.gov/waterwell/index.html.											
KSA 82a-1212 Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy											

WATER WELL RECORD	Form WV	VC-5	Divio	sion of Water	r Pagaurag Ann N	10,592					
1 LOCATION OF WATER WELL:	Fraction	Division of Water Resources App. No. Section Number Township No. Range Number									
County: Finney	4 NE 4 SE	45巨4		9	TZU S						
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here			Global Positioning System (GPS) information: Latitude:								
	Longitude:										
2 WATER WELL OWNER:	Collection Method:										
RR#, Street Address, Box #: City, State, ZIP Code :				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m							
3 LOCATE WELL											
	N "X" IN 4 DEPTH OF COMPLETED WELL ft.										
SECTION BOX: Depth(s) Ground	dwater Encountered ((1)	ft.	(2)	ft.	(3) ft.					
WELL SSIAI	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr										
L L L L L L L L L L L L L L L L L L L	Pump test data: Well water wasft. after										
						Injection well					
SW SE Domestic	Domestic Decellet Doil field water supply Developing Other (Specify below)										
Irrigation											
Was a chemical/bacteriological sample submitted to Department? Yes No											
S If yes, mo/day/yr sample was submitted											
Water well disinfected? \[Yes \] No											
5 TYPE OF CASING USED: Steel PVC Other											
CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter											
Casing height above land surface			lbs./ft.,	Wall thic	kness or gauge N	lo					
TYPE OF SCREEN OR PERFORATION		_									
Steel Stainless Steel	□ PVC		Other (Spe	ecify)							
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING		le)									
Continuous slot Mill slot	Gauze wrapped ☐	Torch cut	□ Drille	d hales	☐ None (open ho	le)					
Louvered shutter Key punched			Other	(specify)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From											
						to ft.					
GRAVEL PACK INTERVALS: From											
						to ft.					
6 GROUT MATERIAL: Neat ceme											
Grout Intervals: From ft. to What is the nearest source of possible control	ft., From	• • • • • • • • • • • • • • • • • • • •	π. το	п.,	From	n. to					
		Livestock	nens [Insecticide	storage	her (specify below)					
Sewer lines Cesspool											
☐ Watertight sewer lines ☐ Seepage		Fertilizer s] Oil well/ga	as well						
Direction from well											
FROM TO LITHOLOG		FROM				UGGING INTERVALS					
366 379 silty to fine sand, clays					, sandstone						
379 400 sand silty to fine, clay		503	512	gray white	soapstone, lime	estone					
400 424 sand fine to small, thin	clay										
424 435 brown clay, thin sand											
	sand fine to med, coarse										
441 450 brown clay											
450 459 sand fine to small											
459 470 sand fine to med coars											
470 483 brown + white rock											
483 491 brown + yellow sandstone											
under my jurisdiction and was completed on (mo/day/year)											
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)											
under the business name of											
INSTRUCTIONS: Use typewriter or ball point per	n. PLEASE PRESS FIRMLY	and PRINT cl	early. Please	e fill in blank	s and check the corre	ct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau of	of Water, Geo	ogy Section,	, 1000 SW Ja	ckson St., Suite 420,	Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WA' http://www.kdheks.gov/waterwell/index.html.	TER WELL OWNER and re	etain one for	your records	. Include <u>fe</u>	e of \$5.00 for each	constructed well. Visit us at					
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy											